

RIDE SNOWBOARD CO.

2019-2020

PRODUCT MANUAL



私達はスノーボードギアの製造、疑わしいビジネスでの意思決定、パウダーを楽しむこと、クレーム対応、不法侵入、二日酔いの分野で27年間の経験があります。私達は多くのスノーボーダーが求める革新的でエキサイティングな製品を作り出します。

We are RIDE Snowboards.



Jake Blauvelt
 Danimals
 Jake Welch
 Hana Beaman
Spencer Schubert
 Derrek Lever

 Cole Navin
Brandon Davis
 Beau Bishop
 Jill Perkins
Severin Van Der Meer
 Reid Smith

<3 Dillon Ojo Forever <3

SECTION I

Boards005

SECTION II

Bindings021

SECTION III

Boots031

SECTION IV

Women's045

SECTION V

Youth061

SECTION VI

Packs & Bags067

SECTION VII

Tech Info071

® 005-019
I. — BOARDS

COMMISSIONER



DESIGN: Tapered Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 153, 155, 158, 162, 165, 157W

PRODUCT DESCRIPTION:

Tapered Elliptical Progressive Sidecut allows for exceptional turn initiation and follow through. New lighter cored aluminum/carbon fiber top sheet increases high-speed control. Paulownia core reduces weight and increases flex properties for snappier turns. The low friction Race Base is made from carbon-infused sintered base material to ensure a fast ride. The Commissioner is designed for intermediate to high level riders seeking high speed all mountain terrain. He sounds pretty serious but the dude will also destroy a powder line. Wink wink.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Tapered Elliptical Progressive Sidecut
- Paulownia Core
- Sintered, Stone Ground Race Base
- Slimewalls®, Carbon Slimewalls®
- Carbon Array 5™
- Silencer 5™
- Aluminum Carbon Topsheet
- Carbon Infused Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 153 | 1165 | 250 | - 8.00 - | 296 / 286 | -19 | 533 | 100-150 / 45-68 |
| 155 | 1177 | 254 | - 9.00 - | 300 / 290 | -19 | 559 | 125-175 / 57-80 |
| 158 | 1203 | 257 | - 10.00 - | 303 / 293 | -19 | 559 | 130-180 / 59-81 |
| 162 | 1228 | 261 | - 11.00 - | 307 / 297 | -19 | 559 | 140-190 / 63-86 |
| 165 | 1253 | 266 | - 12.00 - | 312 / 302 | -19 | 584 | 150-220+ / 68-100+ |
| 157W | 1190 | 264 | - 10.00 - | 310 / 300 | -19 | 559 | 140-190 / 63-86 |

MTNP I G



DESIGN: Tapered Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 155, 159, 162, 160W, 164W

PRODUCT DESCRIPTION:

Tapered Linear Quadratic Sidecut allows for smooth turn initiation and powerful support through the turn without losing grip. Carbon Slimewalls® enhance response and stability. Carbon Infused Glass provides extra pop. The MTNP I G is a beefed up feral WARPIG running wild and fast through the mountains growing fat on powder and should only be approached by an advanced rider.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Tapered Linear Quadratic Sidecut
- Sintered, Stone Ground Base
- Performance Core
- Slimewalls®, Carbon Slimewalls®
- Roll-In Construction
- Double Impact Plates
- Carbon Array 5™
- Birch Veneer Topsheet
- Carbon Infused Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 155 | 1187 | 250 | 9.80 7.30 - | 294 / 289 | -19 | 533 | 125-175 / 57-80 |
| 159 | 1213 | 252 | 10.00 7.50 - | 297 / 292 | -19 | 559 | 130-180 / 59-82 |
| 162 | 1238 | 257 | 10.10 7.60 - | 303 / 298 | -19 | 559 | 140-190 / 64-86 |
| 160W | 1213 | 265 | 10.00 7.50 - | 310 / 305 | -19 | 559 | 160-220+ / 73-100+ |
| 164W | 1251 | 268 | 10.20 7.70 - | 314 / 309 | -19 | 559 | 170-220+ / 77-100+ |

ALGORHYTHM



DESIGN: Directional Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 151, 154, 157, 161, 155W, 160W, 164W

PRODUCT DESCRIPTION:

Quadratic Sidecut improves turn initiation/exit and edge grip. A Performance™ Core combines Aspen, Bamboo, and Paulownia wood to provide the perfect balance of strong and light. Carbon Array 5™ provides extra pop without adding stiffness. This high-end all-mountain directional twin is far superior to some one-trick pony freestyle board.

CONSTRUCTION FEATURES:

- Directional Twin Hybrid Rocker
- Quadractic Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Slimewalls®, Carbon Slimewalls®
- Roll-In Construction
- Double Impact Plates
- Carbon Array 5™
- Pre-Cured Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) | |
|--------------|------------------|---------------------|------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|--|
| 151 | 1121 | 248 | 9.10 | 6.60 | 9.10 | 291 / 291 | -19 | 533 | 100-150 / 45-68 | |
| 154 | 1147 | 251 | 9.20 | 6.70 | 9.20 | 296 / 296 | -19 | 559 | 115-165 / 52-75 | |
| 157 | 1172 | 254 | 9.30 | 6.80 | 9.30 | 300 / 300 | -19 | 559 | 125-175 / 57-80 | |
| 161 | 1197 | 257 | 9.40 | 6.90 | 9.40 | 304 / 304 | -19 | 559 | 130-180 / 59-82 | |
| 155W | 1159 | 258 | 9.20 | 6.70 | 9.20 | 304 / 304 | -19 | 559 | 125-175 / 57-80 | |
| 160W | 1197 | 264 | 9.40 | 6.90 | 9.40 | 311 / 311 | -19 | 559 | 160-220+ / 73-100+ | |
| 164W | 1223 | 266 | 9.50 | 7.00 | 9.50 | 315 / 315 | -19 | 584 | 170-220+ / 77-100+ | |

BURNOUT



DESIGN: Twin Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 149, 152, 155, 158, 154W, 157W

PRODUCT DESCRIPTION:

A new Linear Twin Sidecut design paired with Flat Kick Tips increases underfoot width, enhances leverage on landings, increases edge hold through turns, and improves stability on flat base. Carbon Slimewalls® enhance response and stability without adding stiffness. The Burnout is a high-end twin for an intermediate to advanced rider looking to avoid the stress and frustration commonly associated with riding the same old high-end freestyle shape.

CONSTRUCTION FEATURES:

- Twin Hybrid Camber
- NEW! Linear Twin Sidecut
- Cleave Edge™
- Sintered, Stone Ground Base
- Performance™ Core
- Slimewalls®, Carbon Slimewalls®
- Double Impact Plates
- Carbon Array 5™
- Hybrid Glass
- Flat Kick Tips
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) | |
|--------------|------------------|---------------------|------------------------|------|--------------------------|------------------|--------------------|----------------------------|-----------------|
| 149 | 1183 | 248 | - | 7.70 | - | 291 / 291 | 0 | 533 | 75-135 / 34-60 |
| 152 | 1208 | 249 | - | 7.80 | - | 293 / 293 | 0 | 559 | 100-150 / 45-69 |
| 155 | 1234 | 250 | - | 7.90 | - | 296 / 296 | 0 | 559 | 125-175 / 57-80 |
| 158 | 1259 | 251 | - | 8.00 | - | 298 / 298 | 0 | 559 | 130-180 / 59-82 |
| 154W | 1221 | 258 | - | 7.85 | - | 303 / 303 | 0 | 559 | 130-180 / 59-82 |
| 157W | 1247 | 259 | - | 7.95 | - | 306 / 306 | 0 | 559 | 140-190 / 64-86 |

SUPERPIG



DESIGN: Tapered Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: XS, S, M, L, XL

PRODUCT DESCRIPTION:

A Tapered Bi-Radial Sidecut maximizes grip and maintains speed in all conditions. Carbon Infused Glass provides extra pop. Slimewalls® provide a smoother ride and increase durability. Carbon Array 5™ provides extra pop without adding stiffness. The low friction Race Base is made from carbon-infused sintered base material to ensure a fast ride. The all-new SUPERPIG infuses high-end tech into our best-selling WARPIG shape for an elite all-mountain deck. If you find yourself facing something big and bad, avoid the three little pigs and take shelter with the SUPERPIG, because this board is built like a brick shithouse.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Tapered Bi-Radial Sidecut
- Performance™ Core
- Cleave Edge™
- Sintered, Stone Ground Race Base
- Slimewalls®, Carbon Slimewalls®
- Roll-In Construction
- Double Impact Plates
- Carbon Array 5™
- Topless Topsheet
- Carbon Infused Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| X-SMALL 142 | 1044 | 250 | 4.60 - 5.60 | 301 / 291 | 0 | 483 | 60-130 / 27-59 |
| SMALL 148 | 1095 | 260 | 5.10 - 6.20 | 311 / 301 | 0 | 533 | 100-175 / 45-79 |
| MEDIUM 151 | 1121 | 265 | 5.40 - 6.50 | 316 / 306 | 0 | 559 | 130-190 / 59-86 |
| LARGE 154 | 1146 | 270 | 5.60 - 6.90 | 321 / 311 | 0 | 559 | 140-200 / 63-90 |
| X-LARGE 158 | 1171 | 277 | 5.90 - 7.20 | 328 / 318 | 0 | 584 | 170-220+ / 77-100+ |

BERZERKER



DESIGN: Tapered Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 153, 156, 159, 162, 165, 160W, 163W, 167W

PRODUCT DESCRIPTION:

A new shape reduces tip curvature and adds a small amount of taper to improve speed edge to edge and float. The Tapered Quadratic sidecut has been enhanced to improve stability and edge hold. Carbon Slimerods® 2.0 have carbon for pop and a slime-core to smooth out the landings. The Berzerker is built for an all-mountain rider looking for performance in all conditions. Like a Viking longship, the Berzerker is designed to sail in the shallows or the deep, cut through ice, and take you to snowboard Valhalla.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Tapered Quadratic Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Carbon Slimerods® 2.0
- Slimewalls®
- Double Impact Plates
- Carbon Array 3™
- Hybrid Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 153 | 1152 | 245 | 4.37 7.60 3.80 | 296 / 288 | -19 | 533 | 100-150 / 45-69 |
| 156 | 1177 | 247 | 4.65 7.80 4.07 | 298 / 290 | -19 | 559 | 125-175 / 57-80 |
| 159 | 1203 | 249 | 5.14 8.00 4.60 | 300 / 292 | -19 | 559 | 130-180 / 59-82 |
| 162 | 1228 | 251 | 5.66 8.20 5.16 | 302 / 294 | -19 | 559 | 140-190 / 64-86 |
| 165 | 1254 | 253 | 6.20 8.40 5.76 | 304 / 296 | -19 | 559 | 160-210 / 73-95 |
| 160W | 1203 | 257 | 5.14 8.00 4.60 | 308 / 300 | -19 | 559 | 150-220+ / 68-100+ |
| 163W | 1228 | 259 | 5.66 8.20 5.16 | 310 / 302 | -19 | 559 | 160-220+ / 73-100+ |
| 167W | 1253 | 261 | 6.81 8.40 6.53 | 312 / 304 | -19 | 584 | 170-220+ / 77-100+ |

HELIX



DESIGN: Asymmetrical Twin Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 146, 151, 153, 155, 157, 160, 156W, 159W

PRODUCT DESCRIPTION:

Asymmetric Shaping improves heelside turn initiation and control with different radii for the heel and toeside edges. Carbon Array 3™ provides extra pop without adding stiffness. With a name rooted in the exciting world of science and tech, you're probably already sold but the Helix is actually a performance-focused twin suited for intermediate to advanced riders.

CONSTRUCTION FEATURES:

- Twin Hybrid Camber
- Asymmetrical Quadratic Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Carbon Slimerods® 2.0
- Slimewalls®
- Double Impact Plates
- Carbon Array 3™
- Roll-In Construction
- Hybrid Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|-------------|-------------|--|--------------------------|------------------|--------------------|----------------------------|
| 146 | 1114 | 248 | 7.80 / 6.80 | 6.80 / 5.80 | 7.80 / 6.80 | | 294 / 294 | 0 | 483 | 80-130 / 36-59 |
| 151 | 1177 | 250 | 8.60 / 7.35 | 7.60 / 6.35 | 8.60 / 7.35 | | 267 / 267 | 0 | 533 | 100-150 / 45-69 |
| 153 | 1190 | 251 | 8.70 / 7.45 | 7.70 / 6.45 | 8.70 / 7.45 | | 298 / 298 | 0 | 559 | 125-175 / 57-80 |
| 155 | 1203 | 252 | 8.80 / 7.55 | 7.80 / 6.55 | 8.80 / 7.55 | | 299 / 299 | 0 | 559 | 130-180 / 59-82 |
| 157 | 1228 | 253 | 8.93 / 7.67 | 7.93 / 6.67 | 8.93 / 7.67 | | 301 / 301 | 0 | 559 | 130-180 / 59-82 |
| 160 | 1254 | 254 | 9.05 / 7.80 | 8.05 / 6.80 | 9.05 / 7.80 | | 304 / 304 | 0 | 559 | 140-190 / 64-86 |
| 156W | 1216 | 260 | 8.90 / 7.65 | 7.90 / 6.65 | 8.90 / 7.65 | | 307 / 307 | 0 | 559 | 130-180 / 59-82 |
| 159W | 1241 | 261 | 9.05 / 7.80 | 8.05 / 6.80 | 9.05 / 7.80 | | 310 / 310 | 0 | 559 | 140-190 / 64-86 |

WARPIG



DESIGN: Tapered Directional Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: XS, S, M, L, XL

PRODUCT DESCRIPTION:

A Tapered Bi-Radial sidecut maximizes grip and allows the WARPIG to maintain speed in all conditions. A Performance™ Core combines Aspen, Bamboo and Paulownia wood to provide the perfect balance of strong and light. Topless construction improves durability and reduces weight. The WARPIG is a battle-tested all-mountain board for intermediate to advanced riders who aspire to crack the skull of winter and feast on its delicious pink insides.

CONSTRUCTION FEATURES:

- Directional Rocker
- Tapered Bi-Radial Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Roll-In Construction
- Slimewalls®
- Double Impact Plates
- Carbon Array 3™
- Topless Topsheet
- Hybrid Glass
- Cleave Edge™



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|---|------|--------------------------|------------------|--------------------|----------------------------|
| X-SMALL 142 | 1044 | 250 | 4.60 | - | 5.60 | 301 / 291 | 0 | 483 | 60-130 / 27-59 |
| SMALL 148 | 1095 | 260 | 5.10 | - | 6.20 | 311 / 301 | 0 | 533 | 100-175 / 45-79 |
| MEDIUM 151 | 1121 | 265 | 5.40 | - | 6.50 | 316 / 306 | 0 | 559 | 130-190 / 59-86 |
| LARGE 154 | 1146 | 270 | 5.60 | - | 6.90 | 321 / 311 | 0 | 559 | 140-200 / 63-90 |
| X-LARGE 158 | 1171 | 277 | 5.90 | - | 7.20 | 328 / 318 | 0 | 584 | 170-220+ / 77-100+ |

MACHETE



DESIGN: Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 149, 152, 155, 158, 161, 154W, 159W, 163W

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves turn initiation/exit and edge grip. Carbon Slimerods® 1.0 have carbon for pop and a slime-core to smooth out the landings. Carbon Array 3™ provides extra pop without adding stiffness. Slimewalls® provide a smoother ride and increase durability. The Machete is a mid-flexing twin suited for all levels of freestyle riders.

CONSTRUCTION FEATURES:

- Twin Hybrid Rocker
- Quadratic Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Carbon Slimerods® 1.0
- Slimewalls®
- Double Impact Plates
- Carbon Array 3™
- Bi-axial Glass
- Roll-In Construction
- Cleave Edge™



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) | |
|--------------|------------------|---------------------|-------------------------|------|-------|--------------------------|------------------|--------------------|----------------------------|--|
| 149 | 1165 | 243 | 9.60 | 7.10 | 9.60 | 289 / 289 | 0 | 533 | 75-135 / 34-60 | |
| 152 | 1178 | 245 | 9.70 | 7.20 | 9.70 | 291 / 291 | 0 | 533 | 100-150 / 45-68 | |
| 155 | 1190 | 247 | 9.80 | 7.30 | 9.80 | 294 / 294 | 0 | 559 | 115-165 / 52-75 | |
| 158 | 1216 | 249 | 9.90 | 7.40 | 9.90 | 297 / 297 | 0 | 559 | 125-175 / 57-80 | |
| 161 | 1241 | 250 | 10.00 | 7.50 | 10.00 | 299 / 299 | 0 | 559 | 130-180 / 59-82 | |
| 154W | 1203 | 260 | 9.70 | 7.20 | 9.70 | 305 / 305 | 0 | 559 | 125-175 / 57-80 | |
| 159W | 1228 | 261 | 9.80 | 7.30 | 9.80 | 308 / 308 | 0 | 559 | 150-220+ / 68-100+ | |
| 163W | 1254 | 262 | 10.00 | 7.50 | 10.00 | 312 / 312 | 0 | 559 | 160-220+ / 73-100+ | |

TWINPIG



DESIGN: Asymmetrical Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 142, 148, 151, 154, 157, 156W

PRODUCT DESCRIPTION:

Asymmetrical shaping improves heelside turn initiation and control with different radii for the heel and toeside edges. Topless construction improves durability and reduces weight. A sintered base supplies a faster more durable ride. You'll go wee-wee-wee all the way through the park because this little piggy is a park-focused deck that packs all the fun of our WARPIG into a twin shape.

CONSTRUCTION FEATURES:

- Twin Hybrid Rocker
- Asymmetrical Quadratic Sidecut
- Cleave Edge™
- NEW! Sintered, Stone Ground Base
- Foundation™ Core
- Slimewalls®
- Double Impact Plates
- Topless Topsheet
- Hybrid Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|-------------|-------------|-----------|--------------------------|------------------|--------------------|----------------------------|
| 142 | 1047 | 250 | 6.40 / 5.50 | 5.40 / 4.50 | 6.40 / 5.50 | 298 / 298 | 0 | 508 | 60-130 / 27-59 | |
| 148 | 1085 | 257 | 6.60 / 5.70 | 5.60 / 4.70 | 6.60 / 5.70 | 307 / 307 | 0 | 533 | 100-175 / 45-79 | |
| 151 | 1110 | 263 | 6.80 / 5.80 | 5.80 / 4.80 | 6.80 / 5.80 | 314 / 314 | 0 | 533 | 130-190 / 59-86 | |
| 154 | 1123 | 268 | 6.90 / 5.90 | 5.90 / 4.90 | 6.90 / 5.90 | 320 / 320 | 0 | 559 | 140-200 / 63-90 | |
| 157 | 1148 | 270 | 7.00 / 6.00 | 6.00 / 5.00 | 7.00 / 6.00 | 328 / 328 | 0 | 559 | 170-220+ / 77-100+ | |
| 156W | 1136 | 275 | 6.90 / 5.90 | 5.90 / 4.90 | 6.90 / 5.90 | 323 / 323 | 0 | 559 | 160-220+ / 73-100+ | |

WILD LIFE



DESIGN: Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 151, 154, 157, 160, 163, 158W, 161W, 166W

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves stability and edge hold. Slimewalls® provide a smoother ride and increase durability. Topless construction improves durability and reduces weight. The softer flex and rocker profile give this board a versatile, all-mountain ride suitable for all levels of riders.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Quadratic Sidecut
- Sintered, Stone Ground Base
- Performance™ Core
- Slimewalls®
- Single Impact Plates
- Carbon Array 3™
- Topless Topsheet
- Hybrid Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 151 | 1152 | 248 | 8.20 | 6.90 | 7.90 | 293 / 293 | -19 | 533 | 100-150 / 45-68 |
| 154 | 1177 | 250 | 8.30 | 7.00 | 8.00 | 296 / 296 | -19 | 559 | 125-175 / 57-80 |
| 157 | 1203 | 252 | 8.50 | 7.20 | 8.20 | 299 / 299 | -19 | 559 | 130-180 / 59-82 |
| 160 | 1215 | 254 | 8.60 | 7.30 | 8.30 | 301 / 301 | -19 | 559 | 140-190 / 64-86 |
| 163 | 1241 | 257 | 8.80 | 7.50 | 8.50 | 305 / 305 | -19 | 559 | 160-210 / 73-95 |
| 158W | 1203 | 263 | 8.40 | 7.10 | 8.10 | 310 / 310 | -19 | 559 | 150-220+ / 68-100+ |
| 161W | 1215 | 266 | 8.60 | 7.30 | 8.30 | 313 / 313 | -19 | 559 | 160-220+ / 73-100+ |
| 166W | 1253 | 269 | 9.30 | 8.00 | 9.00 | 315 / 315 | -19 | 584 | 170-220+ / 77-100+ |

KINK



DESIGN: Twin Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 147, 151, 155, 154W, 158W

PRODUCT DESCRIPTION:

Twin Hybrid Camber provides pop and smooth turn initiation. A quadratic sidecut provides predictability and edge hold. Slimewalls® and Cleave Edge™ provide a smoother ride and increase durability. The sintered base is harder and more durable. The Kink is a board designed for modern freestyle and street performance.

CONSTRUCTION FEATURES:

- Twin Hybrid Camber
- Quadratic Sidecut
- Biaxial Glass
- Sintered, Stone Ground Base
- Performance™ Core
- Slimewalls®
- Double Impact Plates
- Flat Kick Tips
- Roll-In Construction
- Cleave Edge™



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 147 | 1170 | 249 | 8.60 | 7.60 | 8.60 | 292 / 292 | 0 | 533 | 115-165 / 52-75 |
| 151 | 1208 | 251 | 8.70 | 7.70 | 8.70 | 296 / 296 | 0 | 559 | 125-175 / 57-80 |
| 155 | 1246 | 253 | 8.80 | 7.80 | 8.80 | 301 / 301 | 0 | 559 | 130-180 / 59-82 |
| 154W | 1233 | 260 | 8.80 | 7.80 | 8.80 | 305 / 305 | 0 | 559 | 140-190 / 64-86 |
| 158W | 1271 | 262 | 8.90 | 7.90 | 8.90 | 309 / 309 | 0 | 559 | 150-220+ / 68-100+ |

MANIC



DESIGN: Directional Hybrid Rocker

SPECIALTY: Park Groomers Pow


RESPONSE: Mellow Medium Aggressive

SIZES: 151, 154, 157, 160, 163, 158W, 161W

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves turn initiation/exit and edge grip. Slimewalls® provide a smooth ride and increase durability. Linear Carbon is positioned below the core for snap and ollie power without added stiffness. The softer flex of the Manic makes it a solid all-mountain board for beginner to intermediate riders.

- CONSTRUCTION FEATURES:**
- Directional Hybrid Rocker
 - Quadratic Sidecut
 - Extruded, Stone Ground Base
 - Foundation™ Core
 - Slimewalls®
 - Linear Carbon
 - Single Impact Plates
 - Biaxial Glass
 - Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 151 | 1152 | 248 | 8.20 | 6.90 | 7.90 | 293 / 293 | -19 | 533 | 100-150 / 45-68 |
| 154 | 1177 | 250 | 8.30 | 7.00 | 8.00 | 296 / 296 | -19 | 559 | 125-175 / 57-80 |
| 157 | 1203 | 252 | 8.50 | 7.20 | 8.20 | 299 / 299 | -19 | 559 | 130-180 / 59-82 |
| 160 | 1215 | 254 | 8.60 | 7.30 | 8.30 | 301 / 301 | -19 | 559 | 140-190 / 64-86 |
| 163 | 1241 | 257 | 8.80 | 7.50 | 8.50 | 305 / 305 | -19 | 559 | 160-210 / 73-95 |
| 158W | 1203 | 263 | 8.40 | 7.10 | 8.10 | 310 / 310 | -19 | 559 | 150-220+ / 68-100+ |
| 161W | 1215 | 266 | 8.60 | 7.30 | 8.30 | 313 / 313 | -19 | 559 | 160-220+ / 73-100+ |

AGENDA



DESIGN: Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow


RESPONSE: Mellow Medium Aggressive

SIZES: 149, 152, 155, 158, 154W, 157W, 161W

PRODUCT DESCRIPTION:

Slimewalls® provide a smooth ride and increase durability. A Foundation™ Core features tip-to-tail Aspen for proven durability that retains pop and flex. The Agenda is designed with a softer flex to allow beginner to intermediate riders to focus on progression.

- CONSTRUCTION FEATURES:**
- Twin Hybrid Rocker
 - Quadratic Sidecut
 - Extruded, Stone Ground Base
 - Foundation™ Core
 - Slimewalls®
 - Single Impact Plates
 - Biaxial Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 149 | 1165 | 250 | 9.20 | 7.70 | 9.20 | 291 / 291 | 0 | 533 | 75-135 / 34-60 |
| 152 | 1190 | 251 | 9.30 | 7.80 | 9.30 | 293 / 293 | 0 | 559 | 100-150 / 45-69 |
| 155 | 1216 | 252 | 9.40 | 7.90 | 9.40 | 296 / 296 | 0 | 559 | 125-175 / 57-80 |
| 158 | 1241 | 253 | 9.50 | 8.00 | 9.50 | 298 / 298 | 0 | 559 | 130-180 / 59-82 |
| 154W | 1203 | 260 | 9.40 | 7.90 | 9.40 | 303 / 303 | 0 | 559 | 130-180 / 59-82 |
| 157W | 1228 | 262 | 9.50 | 8.00 | 9.50 | 306 / 306 | 0 | 559 | 140-190 / 64-86 |
| 161W | 1267 | 263 | 9.70 | 8.20 | 9.70 | 309 / 309 | 0 | 559 | 150-220+ / 68-91+ |

® 021-029
II. — BINDINGS

EL HEFE



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Reversible Ankle Strap offers two riding positions. The aluminum Infinity™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Carbon Slimeback™ Highback provides the lightweight support and pop of carbon combined with the smooth ride of urethane. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The El Hefe is designed for high-end all-mountain performance.

CONSTRUCTION FEATURES:

- Infinity™ Chassis System
- Wedgie™ 2.5 & 4.0 Footbed
- Urethane Rollbar Basepad
- Carbon Slimeback™ Highback
- Reversible Ankle Strap
- ThinGrip™ Max Toe Strap
- Linkage Ratchet
- Micro-Disc

CAPO



BLACK



FOREST



CURRANT

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Reversible Ankle Strap offers two riding positions. The aluminum Infinity™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Nylon Highback provides a mix of response and comfort. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The Capo is a responsive, stiff-flexing all-mountain binding for an advanced rider.

CONSTRUCTION FEATURES:

- Infinity™ Chassis System
- Wedgie™ 2.5 Footbed
- Urethane Rollbar Basepad
- Capo Highback
- NEW! Reversible Ankle Strap
- ThinGrip™ Max Toe Strap
- Linkage Ratchet
- Micro-Disc

LTD



BLACK / WHITE



RAD DAN



FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Two Piece Ankle Strap contours to the shape of your boot and provides long-term support. The aluminum Infinity™ Chassis System features stance correct heel cup and Micro Disc mounting system. Slimeback™ Highback delivers a smooth ride while providing fluid support. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The LTD is designed for responsive freestyle performance.

CONSTRUCTION FEATURES:

- Infinity™ Chassis System
- Wedgie™ 2.5 Footbed
- Urethane Basepad
- LTD Slimeback™ Highback
- Two Piece Ankle Strap
- ThinGrip™ Max Toe Strap
- Linkage Ratchet
- Micro-Disc

RODEO



BLACK



MIDNIGHT



BRICK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed EVA. The aluminum Infinity™ Chassis System features stance correct heel cup and Micro Disc mounting system. Nylon Highback provides a mix of response and comfort. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The Rodeo is a mid-flexing binding designed for performance in all conditions.

CONSTRUCTION FEATURES:

- Infinity™ Chassis System
- Wedgie™ 2.5 Footbed
- Urethane Basepad
- Rodeo Highback
- Stitched Ankle Strap
- ThinGrip™ Max Toe Strap
- Linkage Ratchet
- Micro-Disc

REVOLT



BLACK



OFF WHITE



HANDS OF DOOM



FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Padless Ankle Strap provides direct-contact power transmission and contours to your boot for improved comfort. The aluminum EDGE™ Chassis System features stance correct heel cup and Micro Disc mounting system. Slimeback™ Highback delivers a smooth ride while providing fluid support. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The Revolt provides mid-flexing freestyle response for riders of all ability levels.

CONSTRUCTION FEATURES:

- EDGE™ Chassis System
- Wedgie™ 2.5 Footbed
- EVA Basepad
- Revolt Slimeback™ Highback
- NEW! Injected Ankle Strap
- ThinGrip™ Plus Toe Strap
- Linkage Ratchet
- Micro-Disc

EX



BLACK



WHITE



MIDNIGHT

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Single Injected Ankle Strap contours to the shape of your boot and provides long-term support. The aluminum EDGE™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Nylon highback provides a mix of response and comfort. NEW! Linkage Ratchets provide smooth entry and exit. The EX is a mid-flexing binding that is built for performance on all areas of the mountain.

CONSTRUCTION FEATURES:

- EDGE™ Chassis System
- Wedgie™ 2.5 Footbed
- EVA Basepad
- EX Highback
- Injected Ankle Strap
- ThinGrip™ Max Toe Strap
- NEW! Linkage Ratchet
- Micro-Disc

K X



BLACK



FOREST



MUSTARD

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed EVA. The injected polycarbonate Spectrum™ Chassis is lightweight and features a stance correct heel cup. Slimeback™ Highback delivers a smooth ride while providing fluid support. NEW! Linkage Ratchets provide smooth entry and exit. The KX is designed for beginner to intermediate riders looking for a binding that will allow for freestyle progression.

CONSTRUCTION FEATURES:

- SPECTRUM™ Chassis System
- Wedgie™ 2.5 Footbed
- Urethane Highback
- Stitched Ankle Strap
- ThinGrip™ Plus Toe Strap
- NEW! Linkage Ratchet
- Compact Disc

L X



BLACK



BRICK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: M, L, XL

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed EVA. The injected polycarbonate Spectrum™ Chassis is lightweight and features a stance correct heel cup. Nylon Highback provides a mix of response and comfort. AstroGlyde™ CP Ratchets are built for durable performance. The LX is designed for beginner to intermediate riders looking to progress to the next level of snowboarding.

CONSTRUCTION FEATURES:

- SPECTRUM™ Chassis System
- Wedgie™ 2.5 Footbed
- Nylon Highback
- Stitched Ankle Strap
- ThinGrip™ Plus Toe Strap
- AstroGlyde™ CP Ratchet
- Compact Disc

® 031-043
III. — BOOTS

TRIDENT



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men’s 6-13 (5.5, 6.5, 7.5, 8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Dream Wrap Liner. The Tongue Tied™ system combined with BOA® Focus Closure provides a two-zone closure system for ultimate heel hold and precise fit. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Slime Tongue™ provides rebound and damping. Michelin® Peak Outsole combines rubber and phylon for lightweight winter traction. The Trident features a triple BOA® system and a stiff flex for response and all-mountain performance.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - NEW! TPU Toe Cap, NEW! Rebound Heel Counter™ 2.0, Slime Tongue™
 - Michelin® Peak Sole
 - BOA® H3 Focus, BOA® Tongue Tied™ Closure System, The Closer™
- LINER:**
- Wrap Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Dream Liner, Black Gold™ Liner Mesh
 - Impacto™ Insole

'92



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men’s 7-13 (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Mobile Wrap Liner. The Tongue Tied™ BOA® Focus Closure provides a two-zone closure system for ultimate heel hold and precise fit. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Flex Slime Tongue™ provides improved rebound and damping while driving flex to the articulation zone. Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The '92 is suited for high-end freestyle riding and designed to maintain a freestyle flex.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff, Adjustable Power Strap
 - Heat Reflective Foil, Floating Tongue
 - NEW! Flex Slime Tongue™, Rubber Toe Cap, Rebound Heel Counter™, HDR Premium Synthetics
 - Michelin® Fiberlite Sole, +Slime Midsole
 - BOA® H3 Tongue Tied™ Focus Closure System, The Closer™
- LINER:**
- Wrap Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Mobile Liner, Black Gold™ Liner Mesh
 - Impacto™ Insole

INSANO



BLACK



CURRANT

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (Black 14) (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Center Tongue Dream Liner. The BOA® Focus Closure System provides a two-zone closure system for ultimate heel hold and precise fit. Slime Tongue™ provides rebound and damping. Michelin® Peak Outsole combines rubber and phylon for lightweight winter traction. The Insano is the stiffest boot in our line and is built all-mountain response.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - NEW! TPU Toe Cap, NEW! Rebound Heel Counter™ 2.0, Slime Tongue™, HDR Premium Synthetics
 - Michelin® Peak Sole
 - BOA® H3 Focus, The Closer™
- LINER:**
- Center Tongue Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Dream Liner, Black Gold™ Liner Mesh
 - Lock Down™ Turbo, Tallboy™ Harness
 - Impacto™ Insole

FUSE



BLACK



WARBOSS

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Mobile Wrap Liner. Traditional lace with BOA® powered Tongue Tied™ closure system. Side reel provides a secure fit in the ankle and eliminates the need for a traditional harness. Flex Slime Tongue™ provides rebound and damping. Rubber Toe Cap reduces boot profile and increases durability. Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The Fuse is a stiffer flexing freestyle boot.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - NEW! Flex Slime Tongue™, Rubber Toe Cap, Rebound Heel Counter™, HDR Premium Synthetics
 - Michelin® Fiberlite Sole, +Slime Midsole
 - Traditional Lace, BOA® Tongue Tied™ Closure System
- LINER:**
- Wrap Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Mobile Liner, Black Gold™ Liner Mesh
 - 3D Formed Dual Density EVA Insole

DEADBOLT



BLACK



GREY

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (8.5, 9.5, 10.5, 11.5)

LASSO



BLACK



GREY



FOREST

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (Black 14, 15) (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Mobile Wrap Liner. The Tongue Tied™ BOA® Focus Closure System provides a two-zone closure system for ultimate heel hold and precise fit. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Adjustable Power Strap offers added support and response. Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The Deadbolt is a responsive all-mountain freestyle boot that combines comfort and support.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff,
 - Adjustable Power Strap
 - Heat Reflective Foil
 - HDR Premium Synthetics
 - Michelin® Fiberlite Sole, +Slime Midsole
 - BOA® Tongue Tied™ Focus Closure System, The Closer™
- LINER:**
- Wrap Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Mobile Liner, Black Gold™ Liner Mesh
 - 3D Formed Dual Density EVA Insole

PRODUCT DESCRIPTION:

Fitted with Intuition™ Support Foam Liner. BOA® H3 Coiler System provides a uniform closure while Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Michelin® Summit Sole combines rubber and phylon for lightweight performance. The Lasso is a stiffer flexing boot that offers a responsive ride with a hassle-free lacing system.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Black Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - HDR Premium Synthetics
 - Michelin® Summit Sole
 - BOA® H3 Coiler, BOA® Tongue Tied™ Closure System, The Closer™
- LINER:**
- Center Tongue Liner, Internal/External J Bars
 - Intuition™ Support Liner, Black Gold™ Liner Mesh
 - Lock Down™ Turbo
 - 3D Formed Dual Density EVA Insole

JACKSON



BLACK



GREY



BRICK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (Black 14, 15) (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Support Foam Liner. BOA® H3 Coiler System provides a uniform closure. The Closer™ Lace Guide evens the lace tension across the entire boot. Skeleton Harness with Lock Down™ Turbo provides secure, no slack heel hold. Flex Light 2.0 Sole combines rubber pods and +Slime Midsole for improved response and performance. The Jackson is a mid-flexing boot designed to handle all types of riding.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
 - Heat Reflective Foil
 - NEW! HDR Premium Synthetics
 - NEW! Flex Light 2.0 Sole, NEW! +Slime Midsole
 - BOA® H3 Coiler, The Closer™
- LINER:**
- Center Tongue Liner, Internal/External J Bars
 - NEW! Black Gold™ Liner Mesh, Intuition™ Support Liner
 - NEW! Skeleton Harness with Lock Down™ Turbo
 - 3D Formed Dual Density EVA Insole

TRIAD



BLACK



CAMEL

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Mobile Foam Liner. Traditional lace with BOA® powered Tongue Tied™ closure system. Side reel provides a secure fit in the ankle and eliminates the need for a traditional harness. Lock Down™ Turbo provides secure, no slack liner lace hold. Flex Light 2.0 with +Slime Midsole delivers impact absorption, stability, and traction. The Triad is a mid-flexing boot for the freestyle focused rider.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
 - NEW! Heat Reflective Foil
 - NEW! Flex Light 2.0 Sole, NEW! +Slime Midsole
 - Traditional Lace, BOA® Tongue Tied™ Closure System
- LINER:**
- Center Tongue Liner, Internal/External J Bars
 - Intuition™ Mobile Liner
 - Lock Down™ Turbo
 - 3D Formed Dual Density EVA Insole

ANTHEM



BLACK



OFF WHITE



CAMO

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-13 (Black 14, 15) (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Plush Foam Liner. BOA® H3 Coiler System provides a uniform closure. The Closer™ Lace Guide evens the lace tension across the entire boot. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Anthem is a mid-flexing boot for all-mountain riding.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Sliver Last, IN2GRATED™, Articulated Cuff
 - NEW! Heat Reflective Foil
 - Grip Light Sole, +Slime Midsole
 - BOA® H3 Coiler, The Closer™
- LINER:**
- Center Tongue Liner, Internal J Bars
 - Intuition™ Plush Liner
 - Lock Down™ Turbo
 - Die Cut EVA Insole

ROOK



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men's 7-15 (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Plush Foam Liner. BOA® H3 System provides a quick and uniform closure. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Rook combines hassle-free lacing with all-day comfort.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Gray Last, IN2GRATED™, Articulated Cuff
 - Grip Light Sole, +Slime Midsole
 - BOA® H3
- LINER:**
- Center Tongue Liner, Internal J Bars
 - Intuition™ Plush Integrated Liner
 - Lock Down™ Turbo
 - Die Cut EVA Insole

ORION



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men’s 7–13 (8.5, 9.5, 10.5, 11.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Plush Foam Liner. Traditional Laces. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Orion is a soft-flexing boot designed for beginner-to-intermediate riders.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Gray Last, IN2GRATED™, Articulated Cuff
 - Grip Light Sole, +Slime Midsole
 - Traditional Lacing
- LINER:**
- Center Tongue Liner, Internal J Bars
 - Intuition™ Plush Integrated Liner
 - Lock Down™ Turbo
 - Die Cut EVA Insole

BIGFOOT



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Men’s 16–19

PRODUCT DESCRIPTION:

Giant sizes for giant feet. Fitted with Intuition™ Support Foam Liner. Traditional Laces. Lock Down™ Turbo with Tallboy™ Harness provides secure, no slack heel hold. The Bigfoot is your only choice if you have giant feet.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Silver Last, IN2GRATED™, Articulated Cuff
 - Cut and Buff Outsole
 - Traditional Lacing
- LINER:**
- Center Tongue Liner, Internal J Bars
 - Intuition™ Support Liner
 - Tallboy™ Harness, Lock Down™ Turbo
 - 3D Formed Dual Density EVA Insole

® 0 4 5 - 0 5 9
I V . — W O M E N ' S

PSYCHOCANDY



DESIGN: Tapered Directional Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 138, 142, 146, 150

PRODUCT DESCRIPTION:

A Tapered Bi-Radial sidecut maximizes grip and allows the PsychoCandy to maintain speed in all conditions. Carbon Slimewalls® enhance response and stability. Topless construction improves durability and reduces weight. The PsychoCandy is a directional all-mountain board designed to ride like a WARPIG, which means it'll be more fun than that parking lot "aspirin" you found outside the EDM show.

CONSTRUCTION FEATURES:

- Directional Rocker
- Tapered Bi-Radical Sidecut
- Sintered, Stone Ground Base
- NEW! WMNS Performance™ Core
- Slimewalls®, Carbon Slimewalls®
- Double Impact Plates
- Carbon Array 5™
- Topless Topsheet
- Carbon Infused Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 138 | 1019 | 243 | 4.43 - 5.38 | 295 / 285 | -19 | 457 | 60-100 / 27-45 |
| 142 | 1044 | 250 | 4.67 - 5.67 | 302 / 292 | -19 | 483 | 60-130 / 27-59 |
| 146 | 1070 | 257 | 4.91 - 5.97 | 309 / 299 | -19 | 508 | 100-175 / 45-79 |
| 150 | 1095 | 264 | 5.16 - 6.28 | 316 / 306 | -19 | 508 | 130-190 / 59-86 |

BACK TALK



DESIGN: Asymmetrical Twin Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 138, 142, 146, 150

PRODUCT DESCRIPTION:

Asymmetrical Quadratic Shaping improves heelside turn initiation and control with different radii for the heel and toese side edges. Carbon Slimewalls® enhance response and stability. Carbon Array 5™ provides extra pop and control without adding stiffness. The Back Talk is a high-end twin that cuts through the chatter so you can focus on freestyle excellence.

CONSTRUCTION FEATURES:

- Twin Hybrid Camber
- Asymmetrical Quadratic Sidecut
- Cleave Edge™
- Sintered, Stone Ground Base
- NEW! WMNS Performance™ Core
- Slimewalls®, Carbon Slimewalls®
- Double Impact Plates
- Carbon Array 5™
- Hybrid Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|-------------|-------------|--------------------------|------------------|--------------------|----------------------------|
| 138 | 1076 | 236 | 9.40 / 8.15 | 6.90 / 5.65 | 9.40 / 8.15 | 279 / 279 | 0 | 457 | 60-100 / 27-45 |
| 142 | 1101 | 238 | 9.50 / 8.25 | 7.00 / 5.75 | 9.50 / 8.25 | 282 / 282 | 0 | 457 | 70-100 / 32-50 |
| 146 | 1126 | 240 | 9.60 / 8.35 | 7.10 / 5.85 | 9.60 / 8.35 | 285 / 285 | 0 | 483 | 85-130 / 39-59 |
| 150 | 1152 | 242 | 9.70 / 8.45 | 7.20 / 5.95 | 9.70 / 8.45 | 289 / 289 | 0 | 508 | 100-150 / 45-68 |

MAGIC STICK



DESIGN: Tapered Directional Hybrid Camber

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 143, 147, 151, 154

PRODUCT DESCRIPTION:

A Tapered Bi-Radial sidecut provides effortless turn initiation and a smooth and stable turn/exit. Slimewalls® provide a smooth ride and increase durability. Carbon Array 3™ provides extra pop and control without adding stiffness. The Magic Stick is a mid-flexing all-mountain shape for the baddest chick. Built to hit once, built to hit twice, really built to hit anything. It's maaagic.

CONSTRUCTION FEATURES:

- Directional Hybrid Camber
- Tapered Bi-Radial Sidecut
- Sintered, Stone Ground Base
- NEW! WMNS Performance™ Core
- Slimewalls®
- Linear Carbon
- Single Impact Plates
- Carbon Array 3™
- Hybrid Glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 143 | 1034 | 240 | 4.70 - 5.80 | 291 / 281 | -19 | 457 | 60-100 / 27-45 |
| 147 | 1085 | 242 | 5.20 - 6.40 | 293 / 283 | -19 | 483 | 85-130 / 39-59 |
| 151 | 1111 | 244 | 5.40 - 6.60 | 296 / 286 | -19 | 508 | 100-150 / 45-68 |
| 154 | 1136 | 248 | 5.70 - 7.10 | 299 / 289 | -19 | 533 | 115-160+ / 52-73+ |

SATURDAY



DESIGN: Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 142, 146, 150, 154

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves turn initiation/exit and edge grip. Slimewalls® provide a smooth ride and increase durability by absorbing impact. Carbon Array 3™ provides extra pop and control without adding stiffness. The Saturday is a mid-flexing twin built for the intermediate to advanced riders.

CONSTRUCTION FEATURES:

- Twin Hybrid Rocker
- Quadratic Sidecut
- Sintered, Stone Ground Base
- WMNS Performance™ Core
- Slimewalls®
- Linear Carbon
- Single Impact Plates
- Carbon Array 3™
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 142 | 1101 | 240 | 9.20 6.70 9.20 | 283 / 283 | 0 | 457 | 60-100 / 27-45 |
| 146 | 1140 | 242 | 9.30 6.80 9.30 | 287 / 287 | 0 | 483 | 85-130 / 39-59 |
| 150 | 1178 | 244 | 9.40 6.90 9.40 | 292 / 292 | 0 | 508 | 100-150 / 45-68 |
| 154 | 1203 | 246 | 9.50 7.00 9.50 | 295 / 295 | 0 | 533 | 115-160+ / 52-73+ |

COMPACT



DESIGN: Directional Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 138, 142, 146, 150, 154

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves turn initiation/exit and edge grip. Slimewalls® provide a smooth ride and increase durability by absorbing impact. Roll-In sidewall Construction increases board strength and reduces board weight. The Compact is a soft-flexing directional all-mountain board that allows riders of all ability levels to have fun on the mountain.

CONSTRUCTION FEATURES:

- Directional Hybrid Rocker
- Quadratic Sidecut
- Extruded, Stone Ground Base
- WMNS Performance™ Core
- Slimewalls®
- Single Impact Plates
- Biaxial glass
- Roll-In Construction



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 138 | 1012 | 236 | 9.20 | 6.70 | 9.20 | 272 / 272 | 0 | 457 | 60-100 / 27-45 |
| 142 | 1037 | 238 | 9.30 | 6.80 | 9.30 | 275 / 275 | 0 | 483 | 70-100 / 32-50 |
| 146 | 1076 | 240 | 9.40 | 6.90 | 9.40 | 279 / 279 | 0 | 508 | 85-130 / 39-59 |
| 150 | 1101 | 242 | 9.50 | 7.00 | 9.50 | 283 / 283 | 0 | 533 | 100-150 / 45-68 |
| 154 | 1126 | 244 | 9.60 | 7.10 | 9.60 | 286 / 286 | 0 | 559 | 115-160+ / 52-73+ |

HEARTBREAKER



DESIGN: Twin Hybrid Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 139, 143, 147, 150

PRODUCT DESCRIPTION:

A Quadratic Sidecut improves turn initiation/exit and edge grip. Slimewalls® provide a smooth ride and increase durability by absorbing impact. The HeartBreaker is a soft-flexing all-mountain board for riders of all ability.

CONSTRUCTION FEATURES:

- Twin Hybrid Rocker
- Quadratic Sidecut
- Extruded, Stone Ground Base
- WMNS Performance™ Core
- Slimewalls®
- Single Impact Plates
- Biaxial Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 139 | 1076 | 234 | 9.30 | 6.80 | 9.30 | 274 / 274 | 0 | 432 | 60-100 / 27-45 |
| 143 | 1101 | 236 | 9.40 | 6.90 | 9.40 | 277 / 277 | 0 | 457 | 70-100 / 32-50 |
| 147 | 1127 | 238 | 9.50 | 7.00 | 9.50 | 281 / 281 | 0 | 483 | 85-130 / 39-59 |
| 150 | 1152 | 240 | 9.60 | 7.10 | 9.60 | 285 / 285 | 0 | 508 | 100-150 / 45-68 |

F A M E



SUNSET BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Women's Injected Ankle Strap provides direct-contact power transmission and contours to your boot for improved comfort. The aluminum Infinity™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Slimeback™ Highback delivers a smooth ride while providing fluid support. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The Fame is a responsive all-mountain freestyle binding built for the intermediate to advanced female rider.

CONSTRUCTION FEATURES:

- Infinity™ Chassis System
- Wedgie™ 2.5 Footbed
- Urethane Basepad
- Nylon Highback
- Injected Ankle Strap
- ThinGrip™ Max Toe Strap
- Linkage Ratchet
- Micro-Disc

D V A



GUNMETAL

NINA / WHITE

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Women's Padless Ankle Strap provides direct-contact power transmission and contours to your boot for improved comfort. The aluminum EDGE™ Chassis System features stance correct heel cup and Micro Disc mounting system. Slimeback™ Highback delivers a smooth ride while providing fluid support. Linkage Ratchets eliminate ratchet wag and improves ladder durability. The DVA is designed for mid-flexing freestyle response.

CONSTRUCTION FEATURES:

- EDGE™ Chassis System
- Wedgie™ 2.5 Footbed
- EVA Basepad
- Slimeback™ Highback
- NEW! Injected Ankle Strap
- ThinGrip™ Plus Toe Strap
- Linkage Ratchet
- Micro-Disc

V X N



BLACK / OFF WHITE

SILVER

FEEL: 1 2 3 ④ 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed neoprene. The aluminum EDGE™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Nylon Highback provides a mix of response and comfort. Linkage Ratchets provide smooth entry and exit. The VXN is a mid-flexing binding for riders of all ability levels.

CONSTRUCTION FEATURES:

- EDGE™ Chassis System
- Wedgie™ 2.5 Footbed
- EVA Basepad
- Nylon Highback
- Stitched Ankle Strap
- ThinGrip™ Plus Toe Strap
- Linkage Ratchet
- Micro-Disc

K S



BLACK

GREEN

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed EVA. The injected polycarbonate Spectrum™ Chassis is lightweight and features a stance correct heel cup. Nylon Highback provides a mix of response and comfort. Astroglyde™ OG Ratchets provide smooth entry and exit. The KS is designed with a softer flex pattern for easy progression.

CONSTRUCTION FEATURES:

- SPECTRUM™ Chassis System
- Wedgie™ 2.5 Footbed
- Nylon Highback
- Stitched Ankle Strap
- ThinGrip™ Plus Toe Strap
- NEW! Linkage Ratchet
- Compact Disc

L X H



BLACK

ROSÉ

FEEL: 1 2 ③ 4 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Asymmetrical Stitched Ankle Strap is made from multi-density 3D padding and formed EVA. The injected polycarbonate Spectrum™ Chassis is lightweight and features a stance correct heel cup. Nylon Highback provides a mix of response and comfort. Astroglyde™ CP Ratchets are built for durable performance. The LXH is a soft flexing binding for riders of all ability levels.

CONSTRUCTION FEATURES:

- SPECTRUM™ Chassis System
- Wedgie™ 2.5 Footbed
- Slimeback™ Highback
- Stitched Ankle Strap
- ThinGrip™ Plus Toe Strap
- AstroGlyde™ CP Ratchet
- Compact Disc

CADENCE



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Women’s 5-10 (6.5, 7.5, 8.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Dream Foam Liner. The BOA® Focus Closure System provides a two-zone closure system for ultimate heel hold and precise fit. Lock Down™ Turbo combined with Transition Wrap Harness™ provides a secure heel hold. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. Michelin® Summit Sole combines rubber and phylon for lightweight performance. The Cadence is a stiff, supportive boot that will provide a responsive ride on all areas of the mountain.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
 - C.A.T. System, Heat Reflective Foil
 - HDR Premium Synthetics
 - Michelin® Summit Sole
 - BOA® H3 Focus, The Closer™
- LINER:**
- Center Tongue Liner, Internal/External J Bars with Cored Pockets
 - Intuition™ Dream Liner, Black Gold™ Liner Mesh
 - Lock Down™ Turbo, Transition Wrap Harness™
 - Impacto™ Insole

KARMYN



BLACK



KIMONO

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Women’s 5-10 (6.5, 7.5, 8.5)

PRODUCT DESCRIPTION:

Fitted with Intuition™ Mobile Wrap Liner. The Tongue Tied BOA® Focus Closure provides a two-zone closure system for ultimate heel hold and precise fit. Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. Adjustable Power Strap offers added support and response. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. Michelin® Fiberlite Sole combines rubber with a +Slime Midsole for traction and cushioning. The Karmyn is designed as a stiffer flexing freestyle snowboard boot.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff, Adjustable Power Strap
 - C.A.T. System, Heat Reflective Foil
 - HDR Premium Synthetics
 - Michelin® Fiberlite Sole, +Slime Midsole
 - BOA® Tongue Tied™ Focus Closure System, The Closer™
- LINER:**
- Wrap Liner, Internal J Bars with Cored Pockets
 - Intuition™ Mobile Liner, Black Gold™ Liner Mesh
 - 3D Formed Dual Density EVA Insole

HERA



BLACK

VAPOR

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Women’s 5-10 (Black 11) (6.5, 7.5, 8.5)

PRODUCT DESCRIPTION:
Fitted with Intuition™ Support Foam Liner. BOA® H3 Coiler System provides a uniform closure while Tongue Tied™ delivers a secure fit in the ankle and eliminates the need for a traditional harness. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. Durable rubber Jade Plus Sole with +Slime Heel Pod provides cushioning and traction in all terrain. The Hera is a mid-flexing boot designed for all-mountain performance.

CONSTRUCTION FEATURES:
SHELL:
- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- Jade Plus Sole, +Slime Heel Pod
- BOA® H3 Coiler, BOA® Tongue Tied™ Closure System, The Closer™
LINER:
- Center Tongue Liner, Internal J Bars
- NEW! Black Gold™ Liner Mesh, Intuition™ Support Liner
- Lock Down™ Turbo
- 3D Formed Dual Density EVA Insole

SAGE



BLACK

CASHEW

GREEN

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Women’s 5-10 (Black 11) (6.5, 7.5, 8.5)

PRODUCT DESCRIPTION:
Fitted with Intuition™ Plush Foam Liners. BOA® H3 Coiler System provides a uniform closure. The Closer™ Lace Guide evens the lace tension across the entire boot. C.A.T. technology allows for a custom fit in the calf zone for increased comfort. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Sage is a mid-flexing boot for riders of all ability levels.

CONSTRUCTION FEATURES:
SHELL:
- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- C.A.T. System, Heat Reflective Foil
- Grip Light Sole, +Slime Midsole
- BOA® H3 Coiler, The Closer™
LINER:
- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Liner
- Lock Down™ Turbo
- Die Cut EVA Insole

HARPER



BLACK

FEEL: 1 2 3 4 5 6 7 8 9 10

SIZES: U.S. Women’s 5-11 (6.5, 7.5, 8.5)

PRODUCT DESCRIPTION:
Fitted with Intuition™ Plush Foam Liner. BOA® H3 Closure System provides a uniform closure. Lock Down™ Turbo provides secure, no slack liner lace hold. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Harper is a soft-flexing boot designed for comfort and progression.

CONSTRUCTION FEATURES:
SHELL:
- 1:1 Lasting, Jade Last, IN2GRATED™, Articulated Cuff
- Grip Light Sole, +Slime Midsole
- BOA® H3
LINER:
- Center Tongue Liner, Internal J Bars
- Intuition™ Plush Integrated Liner
- Lock Down™ Turbo
- Die Cut EVA Insole

® 0 6 1 - 0 6 5
V . — Y O U T H

MACHETE JR



DESIGN: Twin Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 130, 135, 139, 145, 148

PRODUCT DESCRIPTION:

Twin Rocker provides a stable platform for young riders to progress. A Quadratic Sidecut improves turn initiation/exit and edge grip. Slimewalls® provide a smooth ride and increase durability. The Machete JR is a kids' board for riders focused on progression and durability.

CONSTRUCTION FEATURES:

- Twin Rocker
- Quadratic Sidecut
- Extruded Base
- Foundation™ CORE
- Slimewalls®
- Single Impact Plates
- Biaxial Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDE CUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|-------------------------|------|------|--------------------------|------------------|--------------------|----------------------------|
| 130 | 1025 | 238 | 7.40 | 5.90 | 7.40 | 279 / 279 | 0 | 406 | 50-100 / 23-45 |
| 135 | 1051 | 240 | 7.70 | 6.20 | 7.70 | 282 / 282 | 0 | 432 | 50-100 / 23-45 |
| 139 | 1076 | 242 | 7.90 | 6.40 | 7.90 | 285 / 285 | 0 | 457 | 60-110 / 27-50 |
| 145 | 1117 | 248 | 8.40 | 6.90 | 8.40 | 292 / 292 | 0 | 483 | 80-130 / 36-59 |
| 148 | 1142 | 250 | 8.70 | 7.20 | 8.70 | 294 / 294 | 0 | 483 | 80-130 / 36-59 |

PHENOM



BLACK

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: S, M

PRODUCT DESCRIPTION:

Injected Ankle Strap contours to the shape of your boot and provides long-term support. The aluminum EDGE™ Chassis System features stance correct heel cup and Micro-Disc mounting system. Phenom Highback provides a mix of response and comfort. NEW! Linkage Ratchets are built for durable performance. The Phenom is a scaled down version of our high performance bindings and will meet the performance requirements of riders of all ability levels.

CONSTRUCTION FEATURES:

- EDGE™ Chassis System
- Wedgie™ 2.5 Footbed
- EVA Basepad
- Urethane Highback
- Injected Ankle Strap
- ThinGrip™ Toe Strap
- NEW! Linkage Ratchet
- Micro-Disc

LASSO JR



BLACK

FEEL: 1 ② 3 4 5 6 7 8 9 10

SIZES: U.S. Youth 2-6

PRODUCT DESCRIPTION:

Fitted with Intuition™ Plush Foam Liner. Kid friendly BOA® Closure System provides a uniform closure. Lock Down™ Turbo provides secure, no slack liner lace hold. Die Cut EVA insole with size shims to allow for one full size of boot growth. Grip Light Sole combines +Slime Midsole with rubber pods for durability and traction. The Lasso JR is a performance boot for younger riders.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Gray Last, IN2GRATED™, Articulated Cuff
 - Grip Light Sole, +Slime Midsole
 - BOA® Kids

- LINER:**
- Center Tongue Liner, Internal J Bars
 - Intuition™ Plush Integrated Liner
 - Lock Down™ Turbo
 - Die Cut EVA Insole with Size Shims

LOWRIDE



DESIGN: Twin Rocker

SPECIALTY: Park Groomers Pow

RESPONSE: Mellow Medium Aggressive


SIZES: 75, 90, 100, 110, 120, 130

PRODUCT DESCRIPTION:

Twin Rocker provides a stable platform for young riders to progress. A Quadratic Sidecut improves turn initiation/exit and edge grip. Board flex is optimized for small children allowing for easy turn initiation The Lowride is a kid's board for riders focused on progression and durability.

CONSTRUCTION FEATURES:

- Twin Rocker
- Quadratic Sidecut
- Extruded Base
- Foundation™ CORE
- Biaxial Glass



| SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|--------------|------------------|---------------------|------------------------|--------------------------|------------------|--------------------|----------------------------|
| 75 | 560 | 180 | - 6.50 - | 200 / 200 | 0 | 305 | <90 / <41 |
| 90 | 675 | 180 | - 7.10 - | 202 / 202 | 0 | 356 | <100 / <45 |
| 100 | 750 | 190 | - 7.50 - | 219 / 219 | 0 | 356 | <110 / <50 |
| 110 | 825 | 200 | - 7.90 - | 230 / 230 | 0 | 406 | <120 / <54 |
| 120 | 900 | 215 | - 8.50 - | 248 / 248 | 0 | 406 | <120 / <54 |
| 130 | 975 | 230 | - 9.10 - | 265 / 265 | 0 | 432 | <130 / <59 |

MICRO



BLACK

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: XS, S

PRODUCT DESCRIPTION:

The Micro is a kids' binding. Single Strap makes for easy entry and exit. Highback adjusts to provide more size options.

CONSTRUCTION FEATURES:

- Single strap entry
- Adjustable size

NORRIS



BLACK

FEEL: ① 2 3 4 5 6 7 8 9 10

SIZES: U.S. Kids 11K-5

PRODUCT DESCRIPTION:

Kid friendly BOA® Closure System provides a uniform closure. Die Cut EVA insole with size shims to allow for one full size of boot growth. Track-Lite phylon sole provides lightweight cushioning and traction. The Norris is a performance boot for younger riders.

CONSTRUCTION FEATURES:

- SHELL:**
- 1:1 Lasting, Gray Last, IN2GRATED™, Articulated Cuff
 - Track-Lite Sole
 - BOA® Kids with Adjustable Play Mode
- LINER:**
- Center Tongue, Internal J Bars
 - Die Cut EVA Insole with Size Shims

VI. ® 067-069
 — PACKS & BAGS

EVERYDAY PACK



COLOR: Black (840D Poly w/ TPU Coating)

SIZE: 52cm X 28cm X 23cm

VOLUME: 28L

WEIGHT: 2.55lb / 1.15kg

CONSTRUCTION FEATURES:

- Side Padded Laptop/Tablet Sleeve
- Deployable Vertical Snowboard/Skate Carry
- Stretch Side Pockets
- Two Large Front Organization Pockets
- External Fleece Lined Pocket for Mobile Phone, Electronics, etc.
- Internal Mesh Pocket and Organizer Sleeve

DUFFLE



COLOR: Black (840D Poly w/ TPU Coating)

SIZE: 70cm X 32cm X 32cm

VOLUME: 80L

WEIGHT: 3.25lb / 1.47kg

CONSTRUCTION FEATURES:

- Dedicated Lower Boot Compartment
- Deployable Shoulder Straps
- Internal Fleece Lined Goggle Pocket
- Internal Glove Pocket
- Three Exterior Gear Pockets
- Compression Straps

PERFECT BOARD BAG



COLOR: Black (840D Poly w/ TPU Coating)

SIZE: 175cm X 30cm X 15cm

VOLUME: Fits max 170cm board

WEIGHT: 9.00lb / 4.08kg

CONSTRUCTION FEATURES:

- Rigid, Reinforced Base in Fore and Aft
- Access Panel on Top Lid
- Compression Straps
- All External Zippers Covered by Storm Flap for Durability
- Internal Tie Downs
- Replaceable Skate Wheels

BLACKENED BOARD BAG



COLOR: Black

SIZE: 157cm, 172cm

VOLUME: 60L, 65L

WEIGHT: 1.87lbs / 0.85kg, 2lbs / 0.91kg

CONSTRUCTION FEATURES:

- Padded Bottom Panel
- Adjustable Shoulder Strap
- Exterior Zipper Pocket
- Reinforced Tow Handles at Ends & Top Handle

UNFORGIVEN BOARD SLEEVE



COLOR: Black

SIZE: 157cm, 172cm

VOLUME: 50L, 55L

WEIGHT: 0.73lbs / 0.33kg, 0.79lbs / 0.36kg

CONSTRUCTION FEATURES:







- Minor Abrasion Board Protection
- Secure Zipper Closure
- Center Tow Handle

® 071-086
VII. — TECH INFO


| | SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) | |
|------------------------------------------------------------------------------------|--------------|------------------|---------------------|-------------------------------------|--------------------------|------------------|--------------------|----------------------------|--|
| COMMISSIONER | | | | | | | | | |
|  | 153 | 1165 | 250 | - 8.00 - | 296 / 286 | -19 | 533 | 100-150 / 45-68 | |
| | 155 | 1177 | 254 | - 9.00 - | 300 / 290 | -19 | 559 | 125-175 / 57-80 | |
| | 158 | 1203 | 257 | - 10.00 - | 303 / 293 | -19 | 559 | 130-180 / 59-81 | |
| | 162 | 1228 | 261 | - 11.00 - | 307 / 297 | -19 | 559 | 140-190 / 63-86 | |
| | 165 | 1253 | 266 | - 12.00 - | 312 / 302 | -19 | 584 | 150-220+ / 68-100+ | |
| | 157W | 1190 | 264 | - 10.00 - | 310 / 300 | -19 | 559 | 140-190 / 63-86 | |
| MTNPIG | | | | | | | | | |
|  | 155 | 1187 | 250 | 9.80 7.30 - | 294 / 289 | -19 | 533 | 125-175 / 57-80 | |
| | 159 | 1213 | 252 | 10.00 7.50 - | 297 / 292 | -19 | 559 | 130-180 / 59-82 | |
| | 160W | 1213 | 265 | 10.00 7.50 - | 310 / 305 | -19 | 559 | 160-220+ / 73-100+ | |
| | 164W | 1251 | 268 | 10.20 7.70 - | 314 / 309 | -19 | 559 | 170-220+ / 77-100+ | |
| | | | | | | | | | |
| ALGORHYTHM | | | | | | | | | |
|  | 151 | 1121 | 248 | 9.10 6.60 9.10 | 291 / 291 | -19 | 533 | 100-150 / 45-68 | |
| | 154 | 1147 | 251 | 9.20 6.70 9.20 | 296 / 296 | -19 | 559 | 115-165 / 52-75 | |
| | 157 | 1172 | 254 | 9.30 6.80 9.30 | 300 / 300 | -19 | 559 | 125-175 / 57-80 | |
| | 161 | 1197 | 257 | 9.40 6.90 9.40 | 304 / 304 | -19 | 559 | 130-180 / 59-82 | |
| | 155W | 1159 | 258 | 9.20 6.70 9.20 | 304 / 304 | -19 | 559 | 125-175 / 57-80 | |
| | 160W | 1197 | 264 | 9.40 6.90 9.40 | 311 / 311 | -19 | 559 | 160-220+ / 73-100+ | |
| | 164W | 1223 | 266 | 9.50 7.00 9.50 | 315 / 315 | -19 | 584 | 170-220+ / 77-100+ | |
| | | | | | | | | | |
| BURNOUT | | | | | | | | | |
|  | 149 | 1183 | 248 | - 7.70 - | 291 / 291 | 0 | 533 | 75-135 / 34-60 | |
| | 152 | 1208 | 249 | - 7.80 - | 293 / 293 | 0 | 559 | 100-150 / 45-69 | |
| | 155 | 1234 | 250 | - 7.90 - | 296 / 296 | 0 | 559 | 125-175 / 57-80 | |
| | 158 | 1259 | 251 | - 8.00 - | 298 / 298 | 0 | 559 | 130-180 / 59-82 | |
| | 154W | 1221 | 258 | - 7.85 - | 303 / 303 | 0 | 559 | 130-180 / 59-82 | |
| | 157W | 1247 | 259 | - 7.95 - | 306 / 306 | 0 | 559 | 140-190 / 64-86 | |
| SUPERPIG | | | | | | | | | |
|  | X-SMALL 142 | 1044 | 250 | 4.60 - 5.60 | 301 / 291 | 0 | 483 | 60-130 / 27-59 | |
| | SMALL 148 | 1095 | 260 | 5.10 - 6.20 | 311 / 301 | 0 | 533 | 100-175 / 45-79 | |
| | MEDIUM 151 | 1121 | 265 | 5.40 - 6.50 | 316 / 306 | 0 | 559 | 130-190 / 59-86 | |
| | LARGE 154 | 1146 | 270 | 5.60 - 6.90 | 321 / 311 | 0 | 559 | 140-200 / 63-90 | |
| | X-LARGE 158 | 1171 | 277 | 5.90 - 7.20 | 328 / 318 | 0 | 584 | 170-220+ / 77-100+ | |
| BERZERKER | | | | | | | | | |
|  | 153 | 1152 | 245 | 4.37 7.60 3.80 | 296 / 288 | -19 | 533 | 100-150 / 45-69 | |
| | 156 | 1177 | 247 | 4.65 7.80 4.07 | 298 / 290 | -19 | 559 | 125-175 / 57-80 | |
| | 159 | 1203 | 249 | 5.14 8.00 4.60 | 300 / 292 | -19 | 559 | 130-180 / 59-82 | |
| | 162 | 1228 | 251 | 5.66 8.20 5.16 | 302 / 294 | -19 | 559 | 140-190 / 64-86 | |
| | 165 | 1254 | 253 | 6.20 8.40 5.76 | 304 / 296 | -19 | 559 | 160-210 / 73-95 | |
| | 160W | 1203 | 257 | 5.14 8.00 4.60 | 308 / 300 | -19 | 559 | 150-220+ / 68-100+ | |
| | 163W | 1228 | 259 | 5.66 8.20 5.16 | 310 / 302 | -19 | 559 | 160-220+ / 73-100+ | |
| | 167W | 1253 | 261 | 6.81 8.40 6.53 | 312 / 304 | -19 | 584 | 170-220+ / 77-100+ | |
| | | | | | | | | | |
| HELIX | | | | | | | | | |
|  | 146 | 1114 | 248 | 7.80 / 6.80 6.80 / 5.80 7.80 / 6.80 | 294 / 294 | 0 | 483 | 80-130 / 36-59 | |
| | 151 | 1177 | 250 | 8.60 / 7.35 7.60 / 6.35 8.60 / 7.35 | 267 / 267 | 0 | 533 | 100-150 / 45-69 | |
| | 153 | 1190 | 251 | 8.70 / 7.45 7.70 / 6.45 8.70 / 7.45 | 298 / 298 | 0 | 559 | 125-175 / 57-80 | |
| | 155 | 1203 | 252 | 8.80 / 7.55 7.80 / 6.55 8.80 / 7.55 | 299 / 299 | 0 | 559 | 130-180 / 59-82 | |
| | 157 | 1228 | 253 | 8.93 / 7.67 7.93 / 6.67 8.93 / 7.67 | 301 / 301 | 0 | 559 | 130-180 / 59-82 | |
| | 160 | 1254 | 254 | 9.05 / 7.80 8.05 / 6.80 9.05 / 7.80 | 304 / 304 | 0 | 559 | 140-190 / 64-86 | |
| | 156W | 1228 | 260 | 8.90 / 7.65 7.90 / 6.65 8.90 / 7.65 | 307 / 307 | 0 | 559 | 130-180 / 59-82 | |
| | 159W | 1241 | 261 | 9.05 / 7.80 8.05 / 6.80 9.05 / 7.80 | 310 / 310 | 0 | 559 | 140-190 / 64-86 | |
| | | | | | | | | | |
| | | | | | | | | | |
| WARPIG | | | | | | | | | |
|  | X-SMALL 142 | 1044 | 250 | 4.60 - 5.60 | 301 / 291 | 0 | 483 | 60-130 / 27-59 | |
| | SMALL 148 | 1095 | 260 | 5.10 - 6.20 | 311 / 301 | 0 | 533 | 100-175 / 45-79 | |
| | MEDIUM 151 | 1121 | 265 | 5.40 - 6.50 | 316 / 306 | 0 | 559 | 130-190 / 59-86 | |
| | LARGE 154 | 1146 | 270 | 5.60 - 6.90 | 321 / 311 | 0 | 559 | 140-200 / 63-90 | |
| | X-LARGE 158 | 1171 | 277 | 5.90 - 7.20 | 328 / 318 | 0 | 584 | 170-220+ / 77-100+ | |
| MACHETE | | | | | | | | | |
|  | 149 | 1165 | 243 | 9.60 7.10 9.60 | 289 / 289 | 0 | 533 | 75-135 / 34-60 | |
| | 152 | 1178 | 245 | 9.70 7.20 9.70 | 291 / 291 | 0 | 533 | 100-150 / 45-68 | |
| | 155 | 1190 | 247 | 9.80 7.30 9.80 | 294 / 294 | 0 | 559 | 115-165 / 52-75 | |
| | 158 | 1216 | 249 | 9.90 7.40 9.90 | 297 / 297 | 0 | 559 | 125-175 / 57-80 | |
| | 161 | 1241 | 250 | 10.00 7.50 10.00 | 299 / 299 | 0 | 559 | 130-180 / 59-82 | |
| | 154W | 1203 | 260 | 9.70 7.20 9.70 | 305 / 305 | 0 | 559 | 125-175 / 57-80 | |
| | 159W | 1228 | 261 | 9.80 7.30 9.80 | 308 / 308 | 0 | 559 | 150-220+ / 68-100+ | |
| | 163W | 1254 | 262 | 10.00 7.50 10.00 | 312 / 312 | 0 | 559 | 160-220+ / 73-100+ | |
| TWINPIG | | | | | | | | | |
|  | 142 | 1047 | 250 | 6.40 / 5.50 5.40 / 4.50 6.40 / 5.50 | 298 / 298 | 0 | 508 | 60-130 / 27-59 | |
| | 148 | 1085 | 257 | 6.60 / 5.70 5.60 / 4.70 6.60 / 5.70 | 307 / 307 | 0 | 533 | 100-175 / 45-79 | |
| | 151 | 1110 | 263 | 6.80 / 5.80 5.80 / 4.80 6.80 / 5.80 | 314 / 314 | 0 | 533 | 130-190 / 59-86 | |
| | 154 | 1123 | 268 | 6.90 / 5.90 5.90 / 4.90 6.90 / 5.90 | 320 / 320 | 0 | 559 | 140-200 / 63-90 | |
| | 157 | 1148 | 270 | 7.00 / 6.00 6.00 / 5.00 7.00 / 6.00 | 328 / 328 | 0 | 559 | 170-220+ / 77-100+ | |
| | 156W | 1136 | 275 | 6.90 / 5.90 5.90 / 4.90 6.90 / 5.90 | 323 / 323 | 0 | 559 | 160-220+ / 73-100+ | |
| | | | | | | | | | |
| WILD LIFE | | | | | | | | | |
|  | 151 | 1152 | 248 | 8.20 6.90 7.90 | 293 / 293 | -19 | 533 | 100-150 / 45-68 | |
| | 154 | 1177 | 250 | 8.30 7.00 8.00 | 296 / 296 | -19 | 559 | 125-175 / 57-80 | |
| | 157 | 1203 | 252 | 8.50 7.20 8.20 | 299 / 299 | -19 | 559 | 130-180 / 59-82 | |
| | 160 | 1215 | 254 | 8.60 7.30 8.30 | 301 / 301 | -19 | 559 | 140-190 / 64-86 | |
| | 163 | 1241 | 257 | 8.80 7.50 8.50 | 305 / 305 | -19 | 559 | 160-210 / 73-95 | |
| | 158W | 1203 | 263 | 8.40 7.10 8.10 | 310 / 310 | -19 | 559 | 150-220+ / 68-100+ | |
| | 161W | 1215 | 266 | 8.60 7.30 8.30 | 313 / 313 | -19 | 559 | 160-220+ / 73-100+ | |
| | 166W | 1253 | 269 | 9.30 8.00 9.00 | 315 / 315 | -19 | 584 | 170-220+ / 77-100+ | |

| | SIZE (CM) | EFF-EDGE (MM) | WAIST WIDTH (MM) | SIDECUT RADIUS (MM) | | | TIP & TAIL WIDTH (MM) | SET BACK (MM) | REF STANCE (MM) | RIDER WEIGHT (LBS / KG) |
|---------------------------------------------------------------------------------------|--------------|------------------|---------------------|------------------------|-------------|-------------|--------------------------|------------------|--------------------|----------------------------|
| KINK | | | | | | | | | | |
|  | 147 | 1170 | 249 | 8.60 | 7.60 | 8.60 | 292 / 292 | 0 | 533 | 115-165 / 52-75 |
| | 151 | 1208 | 251 | 8.70 | 7.70 | 8.70 | 296 / 296 | 0 | 559 | 125-175 / 57-80 |
| | 155 | 1246 | 253 | 8.80 | 7.80 | 8.80 | 301 / 301 | 0 | 559 | 130-180 / 59-82 |
| | 154W | 1233 | 260 | 8.80 | 7.80 | 8.80 | 305 / 305 | 0 | 559 | 140-190 / 64-86 |
| | 158W | 1271 | 262 | 8.90 | 7.90 | 8.90 | 309 / 309 | 0 | 559 | 150-220+ / 68-100+ |
| MANIC | | | | | | | | | | |
|  | 151 | 1152 | 248 | 8.20 | 6.90 | 7.90 | 293 / 293 | -19 | 533 | 100-150 / 45-68 |
| | 154 | 1177 | 250 | 8.30 | 7.00 | 8.00 | 296 / 296 | -19 | 559 | 125-175 / 57-80 |
| | 157 | 1203 | 252 | 8.50 | 7.20 | 8.20 | 299 / 299 | -19 | 559 | 130-180 / 59-82 |
| | 160 | 1215 | 254 | 8.60 | 7.30 | 8.30 | 301 / 301 | -19 | 559 | 140-190 / 64-86 |
| | 163 | 1241 | 257 | 8.80 | 7.50 | 8.50 | 305 / 305 | -19 | 559 | 160-210 / 73-95 |
| | 158W | 1203 | 263 | 8.40 | 7.10 | 8.10 | 310 / 310 | -19 | 559 | 150-220+ / 68-100+ |
| | 161W | 1215 | 266 | 8.60 | 7.30 | 8.30 | 313 / 313 | -19 | 559 | 160-220+ / 73-100+ |
| AGENDA | | | | | | | | | | |
|  | 149 | 1165 | 250 | 9.20 | 7.70 | 9.20 | 291 / 291 | 0 | 533 | 75-135 / 34-60 |
| | 152 | 1190 | 251 | 9.30 | 7.80 | 9.30 | 293 / 293 | 0 | 559 | 100-150 / 45-69 |
| | 155 | 1216 | 252 | 9.40 | 7.90 | 9.40 | 296 / 296 | 0 | 559 | 125-175 / 57-80 |
| | 158 | 1241 | 253 | 9.50 | 8.00 | 9.50 | 298 / 298 | 0 | 559 | 130-180 / 59-82 |
| | 154W | 1203 | 260 | 9.40 | 7.90 | 9.40 | 303 / 303 | 0 | 559 | 130-180 / 59-82 |
| | 157W | 1228 | 262 | 9.50 | 8.00 | 9.50 | 306 / 306 | 0 | 559 | 140-190 / 64-86 |
| | 161W | 1267 | 263 | 9.70 | 8.20 | 9.70 | 309 / 309 | 0 | 559 | 150-220+ / 68-91+ |
| PSYCHOCANDY | | | | | | | | | | |
|  | 138 | 1019 | 243 | 4.43 | - | 5.38 | 295 / 285 | -19 | 457 | 60-100 / 27-45 |
| | 142 | 1044 | 250 | 4.67 | - | 5.67 | 302 / 292 | -19 | 483 | 60-130 / 27-59 |
| | 146 | 1070 | 257 | 4.91 | - | 5.97 | 309 / 299 | -19 | 508 | 100-175 / 45-79 |
| | 150 | 1095 | 264 | 5.16 | - | 6.28 | 316 / 306 | -19 | 508 | 130-190 / 59-86 |
| BACK TALK | | | | | | | | | | |
|  | 138 | 1076 | 236 | 9.40 / 8.15 | 6.90 / 5.65 | 9.40 / 8.15 | 279 / 279 | 0 | 457 | 60-100 / 27-45 |
| | 142 | 1101 | 238 | 9.50 / 8.25 | 7.00 / 5.75 | 9.50 / 8.25 | 282 / 282 | 0 | 457 | 70-100 / 32-50 |
| | 146 | 1126 | 240 | 9.60 / 8.35 | 7.10 / 5.85 | 9.60 / 8.35 | 285 / 285 | 0 | 483 | 85-130 / 39-59 |
| | 150 | 1152 | 242 | 9.70 / 8.45 | 7.20 / 5.95 | 9.70 / 8.45 | 289 / 289 | 0 | 508 | 100-150 / 45-68 |
| MAGIC STICK | | | | | | | | | | |
|  | 143 | 1034 | 240 | 4.70 | - | 5.80 | 291 / 281 | -19 | 457 | 60-100 / 27-45 |
| | 147 | 1085 | 242 | 5.20 | - | 6.40 | 293 / 283 | -19 | 483 | 85-130 / 39-59 |
| | 151 | 1111 | 244 | 5.40 | - | 6.60 | 296 / 286 | -19 | 508 | 100-150 / 45-68 |
| | 154 | 1136 | 248 | 5.70 | - | 7.10 | 299 / 289 | -19 | 533 | 115-160+ / 52-73+ |
| SATURDAY | | | | | | | | | | |
|  | 142 | 1101 | 240 | 9.20 | 6.70 | 9.20 | 283 / 283 | 0 | 457 | 60-100 / 27-45 |
| | 146 | 1140 | 242 | 9.30 | 6.80 | 9.30 | 287 / 287 | 0 | 483 | 85-130 / 39-59 |
| | 150 | 1178 | 244 | 9.40 | 6.90 | 9.40 | 292 / 292 | 0 | 508 | 100-150 / 45-68 |
| | 154 | 1203 | 246 | 9.50 | 7.00 | 9.50 | 295 / 295 | 0 | 533 | 115-160+ / 52-73+ |
| COMPACT | | | | | | | | | | |
|  | 138 | 1012 | 236 | 9.20 | 6.70 | 9.20 | 272 / 272 | 0 | 457 | 60-100 / 27-45 |
| | 142 | 1037 | 238 | 9.30 | 6.80 | 9.30 | 275 / 275 | 0 | 483 | 70-100 / 32-50 |
| | 146 | 1076 | 240 | 9.40 | 6.90 | 9.40 | 279 / 279 | 0 | 508 | 85-130 / 39-59 |
| | 150 | 1101 | 242 | 9.50 | 7.00 | 9.50 | 283 / 283 | 0 | 533 | 100-150 / 45-68 |
| 154 | 1126 | 244 | 9.60 | 7.10 | 9.60 | 286 / 286 | 0 | 559 | 115-160+ / 52-73+ | |
| HEARTBREAKER | | | | | | | | | | |
|  | 139 | 1076 | 234 | 9.30 | 6.80 | 9.30 | 274 / 274 | 0 | 432 | 60-100 / 27-45 |
| | 143 | 1101 | 236 | 9.40 | 6.90 | 9.40 | 277 / 277 | 0 | 457 | 70-100 / 32-50 |
| | 147 | 1127 | 238 | 9.50 | 7.00 | 9.50 | 281 / 281 | 0 | 483 | 85-130 / 39-59 |
| | 150 | 1152 | 240 | 9.60 | 7.10 | 9.60 | 285 / 285 | 0 | 508 | 100-150 / 45-68 |
| MACHETE JR | | | | | | | | | | |
|  | 130 | 1025 | 238 | 7.40 | 5.90 | 7.40 | 279 / 279 | 0 | 406 | 50-100 / 23-45 |
| | 135 | 1051 | 240 | 7.70 | 6.20 | 7.70 | 282 / 282 | 0 | 432 | 50-100 / 23-45 |
| | 139 | 1076 | 242 | 7.90 | 6.40 | 7.90 | 285 / 285 | 0 | 457 | 60-110 / 27-50 |
| | 145 | 1117 | 248 | 8.40 | 6.90 | 8.40 | 292 / 292 | 0 | 483 | 80-130 / 36-59 |
| | 148 | 1142 | 250 | 8.70 | 7.20 | 8.70 | 294 / 294 | 0 | 483 | 80-130 / 36-59 |
| LOWRIDE | | | | | | | | | | |
|  | 75 | 560 | 180 | - | 6.50 | - | 200 / 200 | 0 | 305 | <90 / <41 |
| | 90 | 675 | 180 | - | 7.10 | - | 202 / 202 | 0 | 356 | <100 / <45 |
| | 100 | 750 | 190 | - | 7.50 | - | 219 / 219 | 0 | 356 | <110 / <50 |
| | 110 | 825 | 200 | - | 7.90 | - | 230 / 230 | 0 | 406 | <120 / <54 |
| | 120 | 900 | 215 | - | 8.50 | - | 248 / 248 | 0 | 406 | <120 / <54 |
| | 130 | 975 | 230 | - | 9.10 | - | 265 / 265 | 0 | 432 | <130 / <59 |

BOARD CAMBER PROFILES



BOARD TECHNOLOGY



SIDECUT

- 01. QUADRATIC
Blending of three radii to improve turn initiation/exit while providing the best grip possible. This design is uniquely formulated for each model based on its shape and riding style.
- 02. ELLIPTICAL PROGRESSIVE
Designed exclusively for the Commissioner, this sidecut combines tight elliptical curvature at the tip and tail to provide low-speed initiation and response with a larger radial section between the feet for high-speed stability and tracking.
- 03. BI-RADIAL
A twin sidecut which allows for the underfoot width of a wide board in the tip/tail width of a standard size. This design provides improved leverage on landings, grip through turns, and stability on flat base.
- 04. LINEAR QUADRATIC
A directional sidecut utilizing Quadratic curvature from the tip to the rear insert pack, then progressing into a linear section into the tail. This creates smooth catch-free turn initiation and powerful support through the turn exit without losing grip.
- 05. LINEAR TWIN
A twin sidecut that allows for the underfoot width of a wide board in the tip/tail width of a standard size. This design provides improved leverage on landings, grip through turns, and stability on flat base.

ASYMMETRIC SHAPING

Asymmetric sidecut shaping improves heelside turn initiation and control. Offering perfect balance while turning through different radii for the heel and toe side edges, the board just feels right!

L.S.D. SHAPING (LADIES’ SPECIFIC DESIGN)

Every women’s board in our line has been specifically designed for the female rider. Featuring custom waist widths, flex patterns, and sidecut design, LSD Shaping results in a finely tuned board profile that works as one dialed package.

STEEL

- RIDE’s Austrian-made steel wraps the entire perimeter of your board for the best delam protection around.
- 01. STANDARD EDGE
Rockwell 48 C.
 - 02. CLEAVE EDGE™ STEEL
Nearly 50% more steel, delivers unmatched resistance to edge cracking and can be detuned to larger radii.

FIBERGLASS

- RIDE takes stitched glass to new levels and tailors it to each board’s needs. Our unique glass designs are flatter and more consistent; therefore, they are stronger with no gaps or stretching that can be found in woven glass.
- 01. BIAXIAL GLASS
90° and 0° angles, fun and forgiving.
 - 02. HYBRID GLASS
Triaxial on top, biaxial on base; balanced torsional flex and stiffness for better response with speed.
 - 03. CARBON INFUSED GLASS
90° Carbon fibers stitched into the glass. Extra pop and response, without adding extra stiffness.
 - 04. PRE-CURED GLASS
USA-made pre-cured fiberglass optimizes glass to resin ratios to create the most consistent flex pattern possible. No other glass provides this level of stability and control.

BASE

RIDE uses the highest quality Ptex base materials available for excellent durability and glide.

- 01. EXTRUDED
The industry standard extruded 1500 Ptex base material. Good wax absorption and easy to repair.
- 02. SINTERED
High-end sintered 4000 Ptex base material that is more durable, harder and faster than extruded.
- 03. SINTERED LOW FRICTION RACE BASE
The highest grade carbon-infused sintered base material available. Designed for speed.

TUNED CORE

- RIDE blends the proven strength, pop and feel of wood with added dampening materials and composites. Mixing natural wood with high-energy “uppers” and vibration absorbing “downers” creates a core tuned for maximum snap and feel.
- 01. FOUNDATION™ CORE
Tip-to-tail Aspen wood core with proven durability that retains pop and flex.
 - 02. PERFORMANCE™ CORE
High strength Aspen is combined with Bamboo and lightweight Paulownia wood to provide the perfect balance of strong and light.
 - 03. WMNS PERFORMANCE™ CORE
Specially formulated for the women’s line, this core combines lightweight Paulownia wood stringers with high strength Aspen. Available on every women’s board.
 - 04. PAULOWNIA
100% lightweight Paulownia wood for maximum performance.
 - 05. CARBON SLIMERODS
RIDE’s Slimerods® give already fun and playful boards the added liveliness to set them apart from other boards. Using strategic placement in the boards tip and/or tail, this technology adds pop without the stiffness generally associated with snappy boards. Made up of flat carbon rods that wrap a urethane slime-core, Slimerods® have carbon for massive pop and a slime-core to smooth out the landing. Available in 2 levels: Slimerods® 1.0 & 2.0.

SIDEWALL

- RIDE’s responsive and smooth sidewall technologies level terrain input for consistent filtered feedback.
- 01. SLIMEWALLS®
RIDE’s exclusive Slimewalls® are forgiving and ductile, absorbing impacts rather than defending against them. Just like your skate wheels, the urethane in Slimewalls® smoothes the interaction with the snow, wood or metal surfaces you may ride on. On top of all that, these babies are virtually indestructible, the most durable sidewalls in snowboarding.
 - 02. CARBON SLIMEWALLS®
This totally unique sidewall combines layers of Slimewalls® material and carbon strategically placed at the inserts out to the contact points in the tip and tail on a twin, and the back inserts to the contact points in the tail on a directional board. This exclusive tech enhances the charging rider’s experience as we have moved the carbon pop construction to the outside edge for better stability and enhanced response.
 - 03. ROLL-IN CONSTRUCTION
Unique 3D structure built around our urethane Slimewall® sidewalls. Designed to increase overall board strength, prevent topsheet chipping, and reduce weight.

LAMINATES

- 01. CARBON ARRAY™
This power distribution technology provides total board control in every stance location. Widespread carbon stringers placed at the binding zone gather input from any stance width and all pressure angles. Rider input is then channeled to the opposing contact point for maximum board control. Offered in two levels of technology, 3 & 5.

- 02. SILENCER 5™
Specially designed urethane layers purifying the response from our Carbon Array™ 5 by filtering out vibration for a super smoothed-out, yet snappy feeling.
- 03. LINEAR CARBON
Two strips of carbon added below the core provide more snap for ollie power.
- 04. IMPACT PLATES
Added underneath each binding area to improve compressive strength and prevent board breaks where it matters most. Offered in two levels, Single and Double.
- 05. ALUMINUM CONSTRUCTION
Racing-inspired construction utilizing 5230-T6 Titanal Aluminum for improved torsional stiffness, damping, and control at high speeds.


THIN CON

All RIDE boards feature Thin Construction with tapered tips and tails. This reduces swing weight, enhances tip flex, and improves overall durability.

TOPSHEET


- 01. STANDARD TOPSHEET
Durable Urethane topsheet material with graphics only RIDE can bring you.
- 02. TOPLESS CONSTRUCTION
By transferring graphics directly to the fiberglass, Topless Construction removes the need to have any topsheet material. This process improves overall durability and reduces weight.
- 03. WOOD VENEER
Real wood Birch veneer topsheet sealed with urethane for a unique look and a smooth ride.
- 04. ALUMINUM/CARBON
Racing inspired technology that balances the strength and damping abilities of anodized Titanal aluminum with the stiffness and rebound properties of woven carbon fiber. These two materials have been specifically designed together to improve the board’s edge hold, turning power, and overall speed while reducing weight.

BOOT LACING SYSTEMS




HIGH-POWERED BOA® TONGUE TIED™ FOCUS CLOSURE SYSTEM

Reel activated speed lace system that allows for a unique dual high-power closure system with integrated Tongue Tied™ for ultimate heel hold and precise fit.




BOA® TONGUE TIED™ FOCUS CLOSURE SYSTEM

Reel activated speed lace system that allows for a unique two-zone closure system with integrated Tongue Tied™ for ultimate heel hold and precise fit.



BOA® FOCUS CLOSURE SYSTEM

Reel activated speed lace system that allows for a two-zone closure system for precise fit.




BOA® COILER SYSTEM WITH TONGUE TIED™

Reel activated speed lace system for quick and easy uniform closure. Separate side reel activates internal Tongue Tied™ heel hold system.



TRADITIONAL LACE WITH BOA® TONGUE TIED™

Standard lacing with a standalone side reel activates Tongue Tied™ heel hold system.



BOA® CLOSURE SYSTEM

Reel activated speed lace system for quick and easy uniform closure.



BOOT SIZING

| | | | | | | | | | | | | | | | | | | | | |
|------------|------|------|------|------|------|------|------|------|------|----|------|----------|------|------|------|----|------|----|----|----|
| US MEN'S | -- | -- | -- | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 12.5 | 13 | 14 | 15 |
| US WOMEN'S | 5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | -- | 11 | -- | -- | -- | -- | -- | -- | -- | -- |
| UK | 3 | 4 | 4.5 | 5 | 5.5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 13 | 14 |
| EU | 35.5 | 36.5 | 37 | 38 | 39 | 39.5 | 40 | 40.5 | 41.5 | 42 | 42.5 | 43.5 | 44 | 44.5 | 45 | 46 | 47 | 48 | 49 | 50 |
| CM | 22 | 23 | 23.5 | 24 | 24.5 | 25 | 25.5 | 26 | 26.5 | 27 | 27.5 | 28 | 28.5 | 29 | 29.5 | 30 | 30.5 | 31 | 32 | 33 |
| JUNIORS | | | | | | | | | | | | BIGFOOT | | | | | | | | |
| US KIDS | 2 | 3 | 4 | 5 | 6 | -- | -- | -- | -- | -- | -- | US MEN'S | 15 | 16 | 17 | 18 | 19 | -- | -- | -- |
| UK | 1 | 2 | 3 | 4 | 5 | -- | -- | -- | -- | -- | -- | UK | 14 | 15 | 16 | 17 | 18 | -- | -- | -- |
| EU | 33.5 | 34.5 | 35.5 | 36.5 | 38 | -- | -- | -- | -- | -- | -- | EU | 50 | 52 | 53 | 54 | 55.5 | -- | -- | -- |
| CM | 20 | 21 | 22 | 23 | 24 | -- | -- | -- | -- | -- | -- | CM | 33 | 33.5 | 34 | 35 | 36 | -- | -- | -- |

BOOT GLOSSARY

+SLIME MIDSOLE

RIDE's proprietary foam blend improves comfort and response underfoot.

HDR PREMIUM SYNTHETICS

RIDE's Premium PU material utilizes a proprietary resin that substantially improves durability and wear resistance. Used in high abrasion zones where bindings and board edges create focused wear, RIDE's Premium PU has unmatched performance.

BLACK GOLD™ LINER MESH

This bamboo charcoal infused material naturally mitigates odors and moisture. Other benefits include improved temperature regulation and circulatory function.

ADJUSTABLE POWER STRAP™

RIDE's Adjustable Power Strap™ technology offers a range adjust-ability to customize strap length while providing added boot support and response when you need it.

TONGUE TIED™

This RIDE specific technology offers a secure fit in the ankle zone and eliminates the need for a traditional harness. The tongue integrated BOA® guides provide total tongue closure and next level heel hold without the potential pressure points. Depending on the model, Tongue Tied™ is paired with traditional lace, BOA® Focus, or BOA® Coiler Closure Systems.

NEW! FLEX SLIME TONGUE™

RIDE's second generation Slime Tongue™ developed with an articulating flex zone uses geometric shaping to improve riding comfort and performance. Durable TPU keeps a consistent ride over a longer life of the boot.

SLIME TONGUE™

The RIDE exclusive Slime Tongue™ reduces breakdown in forward flex for a more consistent ride over a longer life of the boot. The revolutionary injected urethane design provides impressive rebound and dampening, allowing the rider to ride longer, harder with less fatigue.

NEW! REBOUND HEELCOUNTER 2.0™

New dual density injected TPU heel counter offers the ability to tailor the flex in the boot while providing the durable performance of TPU.

REBOUND HEELCOUNTER™

RIDE's Rebound TPU heel counter generates lively flex season after season. The highly durable TPU molecular structure allows for superior toughness where you need it most.

FLOATING TONGUE™

RIDE's unique floating tongue technology combined with tongue tied lacing adds additional adjustability to dial in comfort over foot while reducing pressure points.

NEW! TPU TOE CAP

Injected TPU toe cap substantially improves durability and simplifies toe construction.

RUBBER TOE CAP

RIDE's rubber toe cap construction reduces boot profile while improving overall durability. The sleek look brings in low key street cred on and off the mountain.

IN2GRATED™ CONSTRUCTION

In2grated™ Construction creates the lightest weight, shortest length performance boots on the market, hands down. The liner is factory molded inside the shell to create the most efficient "net fit", leading to less pack out for better overall comfort.

LSO C.A.T. (CALF ADJUSTMENT TECHNOLOGY)

Designed specifically for ladies to increase comfort and ensure a perfect fit. This Velcro adjustment on the boot cuff allows for a one-of-a-kind custom fit in the calf zone.

THE CLOSER™

Offers two times the power to close your boot securely. The Closer™ Lace Guide is centered over the forefoot to drive lace power down low to even the lace tension throughout the entire boot. Accompanied by BOA® Closure System, the even-tightening of The Closer™ Lace Guide takes speed lacing to the next level and provides an incredibly comfortable fit.

HEAT REFLECTIVE FOIL

Redirects heat underneath the foot and in the toe to help keep in the toasty warmth while charging up last chair.

BOOT LASTING

RIDE offers 1:1 lasting ensuring a seamless liner to shell integration for all whole and half sizes. Liner lasts anatomically shaped to your foot offers premium out of box liner comfort while shell last shaping precisely merges together for a uniform supportive fit.

- 01. GREY LAST
Designed for non-removable liner boots.
- 02. SILVER LAST
Performance designed men's specific fit.
- 03. BLACK LAST
Performance designed men's tailored fit.
- 04. JADE LAST
Performance designed women's specific fit.

INTUITION™ HEAT MOLDABLE FOAM LINERS

Offered in four varieties, RIDE's Intuition™ Foam can be custom formed on in-store heaters or will form to the shape of your foot over the course of a few days of riding. Combining Intuition™ Liner technology and Black Gold™ liner mesh creates the lightest, warmest, best-forming, longest-lasting liner available.

- 01. INTUITION™ PLUSH FOAM
Medium-density foam delivers the ultimate plush feel for all day comfort.
- 02. INTUITION™ SUPPORT FOAM
Enhanced high-density foam offers supportive performance with maintained comfort.
- 03. INTUITION™ MOBILE FOAM
Dual-density foam creates performance with freedom of movement.
- 04. INTUITION™ DREAM LINER
Multi-density foam surrounded in a supportive skeletal structure for maximum rebound and dreamy performance.

LINER FIT

These added features improve the overall fit of the liner for maximum comfort and response.

- 01. WRAP LINER
Builds additional stability and life into the liner. Creates seamless comfort combined with tongue-tied system.
- 02. CORED ANKLE POCKETS
Anatomically correct fit for ultimate heel hold.
- 03. INTERNAL J BARS
Superior ankle and heel hold with added support.
- 04. EXTERNAL J BARS
Additional ankle and heel hold.

UNDER FOOT SUPPORT

The goods that keep your feet comfy when you're in your boots all day long.

- 01. DIE CUT EVA
Solid, proven support and comfort.

BOOT GLOSSARY CONT.

- 02. 3D FORMED DUAL DENSITY EVA

A soft EVA for comfort and a harder second density for extra foot support where you need it.

- 03. IMPACTO™ INSOLE

Multi-density insole with an added support structure and impact element in the heel for cush landings and all day comfort.

LACING

A variety of proprietary liner and shell lacing systems are available throughout RIDE's boot collection.

LINER LACING

- 01. LOCK DOWN™ TURBO

A secure, no slack lace mechanism to lock your laces in place.

- 02. TRANSITION WRAP HARNESS™

A mobility-focused lacing harness that curves from the side of the foot to the top for freestyle agility, comfort and wicked heel hold.

- 03. TALLBOY HARNESS™

Ideal for all around performance, the Tallboy extends higher above the ankle with a fourth lace loop for a supportive flex and responsive fit.

- 04. SKELETON HARNESS

A basic harness that provides simplicity and heel hold performance.

SHELL LACING

- 01. TRADITIONAL

Standard lacing, tie 'em up just like your sneaks.

- ## - 02. BOA® CLOSURE SYSTEM

The standard BOA® reel offers a quick and easy speed lace system.

- 03. BOA® COILER CLOSURE SYSTEM

Speed lace system with a reel that retracts slack in the cables. Quick, durable and easy to use.

- 04. BOA® FOCUS CLOSURE SYSTEM

Speed lace system with reels that allow for a precise fit in two zones.

- 05. TONGUE TIED™ FOCUS CLOSURE SYSTEM

Speed lace system with integrated tongue tied allows for a precise fit in two zones.

- 06. KIDS BOA® CLOSURE SYSTEM

Found on our kids' models, make for a quick and easy lacing solution.

**** Adding to the ease and performance of RIDE's BOA® boots, they now come with the BOA® Dialed In For Life Guarantee. BOA® Technology guarantees the BOA® Closure System reel and laces for the lifetime of the product.**

SOLE

Providing support and stability, the sole is what gets you around and keeps you on your feet.

- 01. GRIP LIGHT SOLE

+SLIME Midsole combined with rubber pods for maximum durability and ice traction.

- 02. JADE PLUS SOLE

Women's specific sole built with durable rubber construction with internal +SLIME Midsole. Improved heel contour for reduced heel drag and better walkability in all terrain.

- 03. NEW! FLEXLIGHT 2.0

Improves impact absorption with new +SLIME Midsole, stability and traction is maintained flex by utilizing rubber pods underfoot. Unique channels allow for improved performance freestyle feel.

- 04. MICHELIN® SUMMIT

This sole is a durable blend of Michelin® rubber and phylon that makes for a super lightweight performance sole.

PRODUCT FEATURES

| | | Shape | | Profile | | Sidecut | | Steel | | Glass | | Base | | Core | | Core + | | Sidewall | | Laminates | | | | Topsheet | | | | | | | | | | | | | | | | | | | | |
|------------|--------------|-------------|--------------|---------|--------|---------------|---------------|-----------|-----------|------------------------|-------------|--------|----------|--------------|--------|--------|----------------|----------------------|----------|-----------|---------------------------------|--------------|-------------|--------------|-----------|--------------------|-----------------------|-----------------------|------------|-------------------|-------------------|---------------|----------------------|----------------------|-----------------|-----------------|-------------|--------------------------------|---------|--------------|-----------------|---|---|---|
| | Model Name | Directional | Asymmetrical | Twin | Rocker | Hybrid Rocker | Hybrid Camber | Quadratic | Bi-Jendal | Elliptical Progressive | Linear Twin | Linear | Standard | Cleave Edge* | Biasel | Hybrid | Pre-Cure Glass | Carbon Infused Glass | Extruded | Sintered | Sintered Low Friction Base Base | Stone Finish | Foundation* | Performance* | Paulownia | WIN's Performance* | Carbon Slimeroda* 1.0 | Carbon Slimeroda* 2.0 | Slimewall* | Roll-In Structure | Carbon Slimewall* | Linear Carbon | Single Impact Plates | Double Impact Plates | Carbon Array 3" | Carbon Array 5" | Silencer 5" | Aluminum Construction Standard | Topless | Birch Veneer | Aluminum/Carbon | | | |
| NEW'S | Commissioner | X | | | | X | | | X | | | | X | | | | X | | | X | X | | | | X | | | | X | X | | | | | X | X | | | | | X | | | |
| | MTNPiG | X | | | | | | | | | X | | X | | | | | | | X | X | | | X | | | | | | X | X | | | | | X | X | | | | | X | | |
| | Algorhythm | | | X | | X | X | | | | | X | | | | | X | | | X | X | X | | X | | | | | X | X | | | | | X | X | | | | | | | | |
| | Burnout | | | X | | | X | | | | X | | | X | | X | | | | X | | X | X | | X | | | | X | X | | | | | X | X | | | | | | | | |
| | SUPERPiG | X | | | | X | | | | | X | | | X | | | X | | | X | X | | X | | | | | | X | X | X | | | X | | | | | | X | | | | |
| | Bezerker | X | | | | X | X | | | | | | X | | | | X | | | X | X | X | X | | X | | | | X | X | X | | | | | X | X | | | | | | | |
| | Helix | | X | | | | X | X | | | | | X | | | X | | | | X | X | X | X | | X | | X | | X | X | | | | | X | X | | | | | | | | |
| | WARPiG | X | | | X | | | | X | | | | | | | X | X | | | X | | X | X | | X | | | | X | X | | | | | X | X | | | | | X | | | |
| | Machete | | | X | | X | X | | | | | | | | X | X | | | | X | X | X | X | | X | | X | | X | X | | | | | | X | X | | | | | | | |
| | TWINPiG | | X | | | X | X | | | | | | X | | X | X | | | | X | X | X | X | | X | | | | X | X | | | | | X | | | | | | | X | | |
| | Wild Life | X | | | | X | X | | | | | X | | | | | X | | | X | X | X | X | | X | | | | X | X | | | | | X | | | | | | | X | | |
| | Kink | | | X | | | X | X | | | | | | X | X | X | | | | X | X | X | X | | X | | | | X | X | | | | | X | | | | | | | | | |
| | Manic | X | | | | X | X | | | | | | X | | | | X | | | X | | X | X | | X | | | | X | X | | | | X | X | | | | | | | | | |
| | Agenda | | | X | | X | X | | | | | | | X | X | X | | | | | X | X | X | | X | | | | X | X | | | | | | | | | | | | | | |
| Machete JR | | | X | X | | X | X | | | | | | X | X | X | | | | X | | | | X | | | | | X | | | | | | | | | | | | | | | | |
| Lowride | | | X | X | | X | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| ROCKY'S | Psychocandy | X | | | X | | | | X | | | | X | | | | X | | | X | X | | | | X | | | X | X | X | | | | | X | X | | | | | | | X | |
| | Back Talk | | X | | | | X | X | | | | | | X | | X | | | | X | X | | | X | | | X | X | X | | X | | | | | X | X | | | | | | X | |
| | Magic Stick | X | | | | | X | | X | | | | | | X | X | | | | X | X | | | X | | | X | X | X | | X | | | | | | X | X | | | | | | |
| | Saturday | | | X | | X | X | | | | | | | X | | X | | | | X | X | | | X | | | X | X | X | | X | | | | | X | X | | | | | | X | |
| | Compact | X | | | | X | X | | | | | | X | | X | | | | X | | X | | | X | | | X | X | X | | X | | | | | | | | | | | | | |
| | Heartbreaker | | | X | X | X | X | | | | | | X | X | X | | | | X | | X | | | X | | | X | X | | | | | X | | | | | | | | | | | X |

| | | Chassis | | Footbed | Basepad | Highback | Ankle Strap | | | Toe Strap | Ratchet | Discs | | | | | | | | | | | | | |
|------------|-----------|---------|-----------|---------|--------------------------|----------|-------------|--------------|-------------------|-----------|-------------|----------------------|------------------|----------|----------|-----------------------|-----------------|------------------|----------------|---------------|---------------|-----------------|---------------|------------|--------------|
| Model Name | Spectrum™ | Edge™ | Infinity™ | | Wedge® 2.5 Wedge® 4.0 | | EVA | Urethane Pad | Urethane Rollbar™ | | Nylon Blend | Slimeback (optional) | Carbon Slimeback | Stitched | Injected | Asymmetrical Stitched | Two-Piece Strap | Reversible Strap | Thinsrip® Plus | Thinsrip® Max | Astrolyde® CP | Linkage Ratchet | Compact® Disc | Micro-Disc | Binding Case |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| SERIES | El Hefe | | X | X | X | | | | X | | | | X | | | | | | | X | X | X | X | X | X |
| | Capo | | | X | X | | | | | X | X | | | | | | | X | | X | X | X | X | X | X |
| | LTD | | | X | X | | | | X | | X | | | | | | X | | | X | X | X | X | X | X |
| | Rodeo | | | X | X | | | | X | | X | | | | | X | | | | X | X | X | X | X | X |
| | Revolt | | X | | | | X | | | | X | | | | X | X | | | X | | X | X | X | X | X |
| | EX | | | X | | X | | X | | | X | | | | X | | | | | X | | X | X | X | X |
| | KX | | X | | | | | | | | X | | | X | | | | | X | | | X | X | X | X |
| | LX | | X | | | X | | | | | X | | | X | | | | | X | X | X | X | X | X | X |
| | Phenom | | X | | | | X | | | | | | | | X | | | | | X | | X | X | X | X |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOMER'S | Fame | | | X | X | | | X | | X | | | | X | | | | | X | | X | X | X | X | |
| | DVA | | X | | X | X | | X | | X | X | | | | X | | | | X | | X | X | X | X | |
| | VXN | | X | | X | X | X | | | X | | | X | | X | | | | X | | X | X | X | X | |
| | RS | | X | | | X | | | | X | | | X | | X | | | | X | | X | X | X | X | |
| | LXH | | X | | | X | | | | X | | | X | | X | | | | X | X | X | X | X | X | |

[illegible]



COMMISSIONER



MTNPIG



ALGORHYTHM



BURNOUT



SUPERPIG



BERZERKER



HELIX



WARPIG



MACHETE



TWINPIG



WILD LIFE



KINK



MANIC



AGENDA



MACHETE JR



LOWRIDE



PSYCHOCANDY



BACK TALK



MAGIC STICK



SATURDAY



COMPACT



HEARTBREAKER



EL HEFE



CAPO



LTD



RODEO



REVOLT



EX



KX



LX



FAME



DVA



VXN



LXH



PHENOM



MICRO



TRIDENT



'92



INSANO



FUSE



DEADBOLT



LASSO



JACKSON



TRIAD



ANTHEM



ROKK



ORION



BIGFOOT



CADENCE



KARMYN



HERA



HARPER



LASSO JR



NORRIS



SAGE

RIDE USA:

413 Pine St. 3rd Floor
Seattle, WA 98101
T: 800 757 5806
F: 800 972 4066

RIDE CANADA:

1 Westside Drive Unit #7
Toronto, ON M9C 1B2, Canada
T: 888 249 7433
F: 416 679 1218

RIDE EUROPE:

Seehaupter Strasse 62,
Penzberg 82377, Germany
T: 49 8856 901 0
F: 49 8856 901 101
E: info@k2sports.de

RIDE JAPAN:

TMM Bldg.6F,
1-10-5, Iwamoto-Cho, Chiyoda-Ku,
Tokyo, Japan 101-0032
T: 81 3 6858 2311

